

HIV/AIDS Education Project

2008 Iowa

School Health Profiles

Principal & Lead Health Education Teacher Surveys

**Prepared for:
Iowa Department of Education
Nutrition, Health, & Transportation Services**

**By:
James R. Veale, Ph.D.
Statistical/Research Consultant & Educator**

February 2009

State of Iowa
Department of Education
Grimes State Office Building
400 E 14th St
Des Moines, Iowa 50319-0146

State Board of Education

Rosie Hussey, President, Clear Lake
Charles C. Edwards, Jr., Vice President, Des Moines
Sister Jude Fitzpatrick, West Des Moines
Brian Gentry, Des Moines
Wayne Kobberdahl, Council Bluffs
Valorie J. Kruse, Sioux City
Max Phillips, Woodward
LaMetta Wynn, Clinton
Kameron Dodge, Student Member, Cambridge
Vacant

Administration

Judy A. Jeffrey, Director and Executive Officer
of the State Board of Education
Gail M. Sullivan, Chief of Staff

Division of School Support and Information

James Addy, Administrator

Bureau of Nutrition, Health, and Transportation Services

Julia L.M. Thorius, Chief
Sara Peterson, HIV/AIDS Project Director

It is the policy of the Iowa Department of Education not to discriminate on the basis of race, creed, color, sex, sexual orientation, gender identity, national origin, gender, disability, religion, age, political party affiliation, or actual or potential parental, family or marital status in its programs, activities, or employment practices as required by the Iowa Code sections 216.9 and 256.10(2), Titles VI and VII of the Civil Rights Act of 1964 (42 U.S.C. § 2000d and 2000e), the Equal Pay Act of 1973 (29 U.S.C. § 206, *et seq.*), Title IX (Educational Amendments, 20 U.S.C. §§ 1681 – 1688), Section 504 (Rehabilitation Act of 1973, 29 U.S.C. § 794), and the Americans with Disabilities Act (42 U.S.C. § 12101, *et seq.*).

If you have questions or grievances related to compliance with this policy by the Iowa Department of Education, please contact the legal counsel for the Iowa Department of Education, Grimes State Office Building, 400 E 14th St, Des Moines, IA 50319-0146, telephone number 515/281-5295, or the Director of the Office for Civil Rights, U.S. Department of Education, 111 N. Canal Street, Suite 1053, Chicago, IL 60606-7204.

Table of Contents

Introduction	Page 1
2008 Iowa SHP: Instruments, Samples, and Reporting Overview: Comprehensive School Health Education in Iowa	
Methodology	Page 4
Sampling Procedure	
Weighting the Survey Responses	
Data Analysis	
Summary Methods	
2008 Iowa School Health Profiles: Results of the Principal Survey	Page 8
General Health Education and Policy	
Required Physical Education	
Physical Education and Physical Activity	
Tobacco-Use Prevention Policies	
Nutrition-Related Policies and Practices	
Health Services	
Family and Community Involvement	
2008 Iowa School Health Profiles: Results of the Lead Health Education Teacher Survey	Page 21
Required Health Education	
HIV Prevention	
Collaboration	
Professional Development	
Professional Preparation	
Comments from Lead Health Education Teachers	
Discussion and Recommendations	Page 38
Discussion	
1. HIV and Other STDs: Policy, Student Behavior, and Preventive Health Education	
2. Tobacco Use Policy and Prevention Education	
3. Violence Prevention	
4. Asthma	
Recommendations	
Acknowledgments	Page 43
References	Page 44
Appendix: The School Principal and Lead Health Education Teacher Questionnaires for the 2008 Iowa School Health Profiles	

List of Tables

Table		Page
1	Definitions of grade categories.	1
2	Sample size breakdown by school grade level	5

List of Figures

Figure		Page
1	Non-overlapping confidence intervals on question 2 of principal's survey (evidence of statistically significant differences among school grade levels).	6
2	Percent indicating that they had engaged in sexual intercourse, by grade (Veale, 2008a)	38

Introduction

The Iowa Department of Education HIV/AIDS Education Program, through a cooperative agreement with the Division of Adolescent and School Health (DASH), National Center for Chronic Disease Prevention and Health Promotion, U.S. Centers for Disease Control and Prevention (CDC), provides assistance to schools and other youth service agencies to strengthen comprehensive school health education to prevent human immunodeficiency virus (HIV) infection and other sexually transmitted diseases (STDs), and to promote healthy behaviors and attitudes. Program requirements include the monitoring (at least every two years) of the number and percentage of schools that provide education to prevent health risk behaviors as part of a comprehensive school health program.

2008 Iowa SHP: Instruments, Samples, and Reporting

The School Health Profiles include two questionnaires, one for school principals and one for lead health education teachers. The questionnaires are presented in the Appendix. The principal's questionnaire was used to provide data on policies and programs related to health education and services (primarily, asthma), physical education/activity, tobacco-use prevention, nutrition, HIV infection, and family/community involvement. The health education teacher's questionnaire provided data on school health education, HIV prevention, collaboration, staff development, and professional preparation. *The overall results are presented for the entire sample when the percentages are more or less homogeneous; otherwise, results are presented for (1) middle school, (2) junior/senior high school, and (3) senior high school, defined in Table 1 below.*

Table 1: Definitions of grade categories

Grade Category	Low Grade Criterion	High Grade Criterion
Middle school	- ^a	9 or lower
Junior/senior high school	8 or lower	10 or higher
Senior high school	9 or higher	10 or higher

^a The "--" indicates no single low grade criterion was used for this grade category. However, middle schools traditionally serve grades 6 through 8 (or sometimes 9).

The questionnaires were developed by the DASH/CDC in collaboration with representatives of 75 state, local, and territorial departments of education. They were mailed to 350 secondary schools containing any of the grades 6 through 12 in Iowa during the winter of the 2007-08 school year. Two schools were declared ineligible, yielding an effective sample of 348 schools. Useable survey data were obtained from 259 principals and 245 teachers.

The data are reported in summarized form. For a more detailed summary of the data, see the document *2008 School Health Profiles Report: Iowa Department of Education* (Centers for Disease Control and Prevention, 2008). In addition to detailed tables with point and interval estimates, this report includes graphics that can be used to produce overhead transparencies for use in presentations. Additional transparencies or a slide show will be developed for presenting the Iowa SHP results as needed. An administrative summary is also available for more general dissemination. This document contains the basic information regarding methodology and highlights of the results. Finally, this report and the administrative summary will be posted on the Iowa Department of Education Web site (www.state.ia.us/educate) in portable document format for electronic access.

Overview: Comprehensive School Health Education in Iowa

Effective comprehensive school health education programs focus on reducing behaviors that place youth at risk for serious health problems. This includes reducing sexual behaviors that can lead to HIV infection, other sexually transmitted diseases (STDs), and unintended pregnancies. Other risky behaviors include tobacco use, alcohol and other drug use, improper nutrition, sedentary lifestyles, intentional and unintentional injuries, and violent activity.

The CDC's definition of a comprehensive school health education program includes the following:

- a documented, planned, sequential program of health education for students in grades K through 12;
- a curriculum that addresses and integrates education about a range of categorical health problems and issues (e.g., HIV infection, drug abuse, drinking and driving, emotional health, environmental pollution) at developmentally appropriate ages;
- activities to help young people develop the skills they will need to avoid: (a) behaviors that result in intentional and unintentional injuries; (b) drug and alcohol abuse; (c) tobacco use; (d) sexual behaviors that result in HIV infection, other STDs, and unintended pregnancies; (e) imprudent dietary patterns; and (f) inadequate physical activity;
- instruction provided for a prescribed amount of time at each grade level;
- management and coordination in each school by an education professional trained to implement the program;
- instruction from teachers who have been trained to the subject;
- involvement of parents, health professionals, and other concerned community members;
- periodic evaluation, updating, and improvement.

HIV prevention education is an important component of a comprehensive school health education program. The above definition distinguishes between (1) skills-based HIV education and comprehensive school health education and (2) HIV/AIDS awareness presentations and non-comprehensive health courses. In Iowa, HIV policy evaluations provided direction for both policymaking process and content, including HIV education policy, addressing the needs of persons infected with HIV, and infection control procedures (Veale, 1994 and 2005). In addition, needs assessments have been conducted with elementary and secondary schools, and postsecondary teacher preparation programs to determine the training and educational needs for Iowa educators and students in HIV prevention (Veale, 2000, 2001, 2002, and 2004).

Regarding health education needs assessment from the student's perspective, the 2009 Iowa Youth Risk Behavior Survey is currently being conducted. It is being administered to a sample of high schools in Iowa to assess the level of involvement in risky behaviors for students in these schools. Assuming sufficient response rates for weighting the data, we will be able to make statements concerning the level of such behavior among all high school students in Iowa

in 2009, as well as changes in this level of behavior over the past decade (e.g., Veale, 2006b). The YRBS provides an important complement to the SHP in that it provides *student* input regarding their health and risk thereto. *Together, these surveys, conducted in alternate years, provide a comprehensive picture of the health of Iowa students of today—their risky as well as more positive behaviors and education programs and policies that should impact those behaviors.*

Methodology

The 2008 School Health Profiles (SHP) consisted of two questionnaires—one for school principals and the other for lead health education teachers (LHETs). The survey for principals consisted of questions about health and HIV education from an administrative perspective, while the survey for LHETs examined health and HIV education from an instructional standpoint. The surveys were developed cooperatively by the CDC and 75 agencies including state departments of education, as well as local and territorial education units in the United States to monitor the current status of school health education, including education to prevent HIV infection, STDs, and other important health problems that occur at the middle, junior high, and senior high school levels. The 2008 School Health Profiles consisted of 50 questions for the school principals and 23 questions for the lead health education teachers. The rationale for the questions included in the 2008 SHP is presented in the supplementary document *2008 School Health Profiles Report: Iowa Department of Education* (Centers for Disease Control and Prevention, 2008).

Sampling Procedure

Schools were selected using systematic equal probability sampling with a random start. The principal and lead health education teacher (LHET) were surveyed at each participating school. Prior to sampling, the schools were sorted by estimated enrollment in the target grades within the school grade level (e.g., middle school). This increased the likelihood of securing a sample that was representative of the population—at least with respect to estimated enrollment. This process was repeated for each targeted school grade level.

A sample size of 350 was determined from finite sampling theory for proportions, using a 5% margin of error with 95% confidence (e.g., Cochran, 1963), assuming a response rate of 75%.¹ This represented slightly less than 50% of the number of schools (704) in the population of middle, junior/senior high, and senior high schools in Iowa. Westat, Inc. selected the sample of 350 from a sampling frame consisting of all 704 schools. Two (2) of the 350 sampled schools were determined to be ineligible, so the effective sample size was 348 schools.

The superintendents and principals in the schools sampled were then contacted. A cover letter was sent to each, along with a copy of both the principal and LHET surveys. The principal was asked to select one teacher to complete the LHET survey in the school. This was to have been someone who was in charge of health education in the school.

Usable data were received from 259 out of the 348 sampled principals from the eligible schools. This yielded a response rate for the school principal questionnaire of 74%. Usable data were received from 245 out of 348 sampled lead health education teachers from the eligible schools. This yielded a response rate for the LHET questionnaire of 70%. Both of these response rates were judged sufficient by the CDC for making inferences about the populations.²

The breakdown by school grade level is presented in Table 2 (Jennifer Kali, personal communication, February 2009). These sample sizes should be considered on questions where breakdowns over school grade levels are needed. Moreover, on particular questions, the sample

¹ The following formula was used: $ME = t (1 - n/N)^{1/2} [pq/(n - 1)]^{1/2} + 1/2n$, where “ME” is the margin of error, “t” is the value of the standard normal deviate, “N” is the population (sampling frame) size, “p” is the true value of the proportion responding in a particular way to the question, and $q = 1 - p$. Here, we set $ME = .05$ (5%), $t = 1.96$, $N = 704$, and $p = q = 0.5$. The value of 262 for “n” was obtained by iteration (“trial and error”). It was conservatively estimated that the response rate would be (at least) 0.75 or 75%. Inflating the “n” by this anticipated (minimum) response rate yielded $n = 265/0.75$, or 350 (rounding up).

² With random systematic sampling as delineated in this section, a minimum of 70% response is required by the CDC for making inferences about the population based on these profiles.

sizes may be even smaller due to selective nonresponse. The statistical effect of such breakdowns is wider confidence intervals. Thus, we feel that overall results using the total sample (yielding shorter confidence intervals) should be used, with specific grade level results presented only when they are of particular interest.

Table 2: Sample size breakdown by school grade level

Survey	Number in Middle School Sample	Number in Junior/Senior High Sample	Number in Senior High Sample	Total Sample Size
Principal	97 (37.5%)	46 (17.8%)	116 (44.8%)	259
LHET	91 (37.1%)	38 (15.5%)	116 (47.3%)	245
Population	282 (40.1%)	115 (16.3%)	307 (43.6%)	704

Note: Some of the percentages may not add to 100% due to rounding error.

Note the agreement between the percentages in the samples (for both the principal and LHET surveys) and those of the population. Exact chi-square goodness-of-fit tests using *StatXact 8* (Cytel Statistical Software) yielded nonsignificant differences between the population percentages and (a) the principals' sample grade level percentages ($p = .383$) and (b) the LHETs' sample grade level percentages ($p = .497$). The agreement between the principal and LHET grade level distributions was even better ($p = .759$). This indicates that (a) the samples represented the population (in terms of grade level) and (b) the grade level information provided by the principals and LHET in the schools sampled agreed with that given in the population frame (provided by the Iowa Department of Education).

Weighting the Survey Responses

A "weight" has been associated with each questionnaire to reflect the likelihood of a principal or LHET being selected, to reduce bias by compensating for differing patterns of nonresponse, and to improve precision by making school sample distributions conform to known population distributions. The weight used for estimation of population parameters is given by

$$W = W_1 \times f_1 \times f_2$$

where

$W_1 = 1/(\text{probability of school selection});$

$f_1 =$ a nonresponse adjustment factor calculated by school size (large, medium, and small) and school grade level (middle school, junior/senior high, high school);

$f_2 =$ a poststratification adjustment factor calculated by type of locale (large central city, mid-size central city, urban fringe of large city, urban fringe of mid-size city, large town, small town, rural metropolitan statistical area (MSA), rural non-MSA) and school grade level (middle school, junior/senior high, high school).

Thereby, the data were adjusted somewhat to reflect differences in the number of population units that each case represented. This is somewhat similar to what is done, for example, in stratified sampling. A weighted mean or percentage was computed for each item on the survey. (The actual process of weighting is rather complicated and was conducted by Westat, Inc. using specialized statistical software.)

Data Analysis

The primary focus in data analysis is on the estimation of population parameters, namely the proportion of principals or lead health education teachers with the various health education attributes assessed in the questionnaires. These analyses were conducted by Westat, Inc., a contractor for the CDC. In addition to point estimates, 95% confidence intervals were computed. These statistics were used to make inferences concerning the health policy and education attributes of principals and lead health education teachers *in all regular secondary public schools in Iowa having at least one of the grades 6 through 12.*

Informal tests of statistical significance using the confidence intervals for the three grade levels (middle school, junior/senior high, and senior high school) were conducted on data from a few selected survey questions to assess the differences in the results by school grade level. Confidence intervals that did not overlap provided evidence of statistically significant differences.

Since these intervals were computed by taking into account the differential weighting of the responses based on the sampling scheme (and nonresponse patterns), this method was recommended over classical methods for simple random sampling such as Pearson chi-square (Mary Nixon, Westat statistician, personal communication, December 5, 1996). For example, question 15 on the principal's survey regarding whether physical education teachers/specialists received professional development on physical education during the past two years yielded the three confidence intervals represented in Figure 1. The fact that these confidence intervals do not *all* overlap (middle school interval does not overlap with the senior high interval), indicated that the results for this question differed by school grade level. In others, e.g., question 9 regarding whether or not the school has a policy on various issues regarding HIV infection or AIDS among students and/or staff, all of the confidence intervals for each of the issues overlapped. No differences over grade levels were indicated on this question.³

We always report the overall results for the total sample. Data utilizing the total sample are meaningful even if differences exist over some of the grade levels, since the random sample was taken over the entire state. In selected questions, where significant differences are detected, the grade level results provide additional information for more specific recommendations for health education.

The point and interval estimates are presented in a supplementary report for all survey items on each of the two questionnaires using data from respondents at each of the three school grade levels, as well as the combined sample. The item question, choices, sample size ("n"), and raw




Figure 1: Non-overlapping confidence intervals on question 15 of principal's survey (evidence of statistically significant differences among school grade levels).

³ Differences in responses to the same questions used in surveys administered over time (e.g., the 2006 and 2008 SHPs) are handled somewhat differently. The confidence interval approach for such differences is somewhat problematic, due to the possibility of repeated (non-independent) measurement among some of the respondents. In this report, only results where such differences were "substantial" (based on author judgement) were cited.

counts are also presented for each item, as well as graphical representations for use in presentations. These data summaries were produced by Westat, Inc. and are provided in the document *2008 School Health Profiles Report: Iowa Department of Education* (Centers for Disease Control and Prevention, 2008).

Summary Methods

The data are reported here in summarized form. This includes the percentages responding “Yes” (or selecting a particular choice) for binary coded questions, and the percentages for the most frequently selected response choice(s) in questions with three or more possible choices. The percentages for middle, junior/senior high, and/or senior high school are presented for selected questions. In addition, comparisons are made with results from earlier profiles (e.g., the 2006 SHP) for selected questions. However, due to many changes in the 2008 SHP (changes in wording, adding new questions, discarding old ones) comparisons over time in those areas were not possible.

2008 Iowa School Health Profiles:

Results of the School Principal Survey

The overall results of the 2008 Iowa SHP based on the school principal survey are presented below for secondary schools. Point estimates (in percent) are provided along with the number of responses on which these percentages were based. In selected questions, grade level breakdowns or comparisons with results from the 2006 (or earlier) profiles are provided if significant or substantial differences were indicated.

The first question concerning grades taught in the principal's school was used only as a filter and for the grade-level breakdown discussed in the previous section.

General Health Education and Policy

Question 2: Has your school ever used the School Health Index or other self-assessment tool to assess your school's policies, activities, and programs in the following areas?

a. Physical activity

Based on 247 responses, 24% of secondary principals indicated that the School Health Index (or other self-assessment tool) was used.

b. Nutrition

Based on 247 responses, 24% of secondary principals indicated that the School Health Index (or other self-assessment tool) was used.

c. Tobacco-use prevention

Based on 247 responses, 20% of secondary principals indicated that the School Health Index (or other self-assessment tool) was used.

d. Asthma

Based on 247 responses, 8% of secondary principals indicated that the School Health Index (or other self-assessment tool) was used.

Question 3: The Child Nutrition and WIC Reauthorization Act of 2004 requires school districts participating in federally subsidized child nutrition programs (e.g., National School Lunch Program, School Breakfast Program) to establish a local school wellness policy. Do you have a copy of your district's wellness policy?

Based on 257 responses, 96% of secondary principals responded "Yes" to this question.

Question 4: Currently, does someone at your school oversee or coordinate school health and safety programs and activities?

Based on 258 school principal responses, 89% indicated someone at their school oversees or coordinates school health and safety programs/activities.

Question 5: Is there one or more than one group (e.g., a school health council, committee, or team) at this school that offers guidance on the development of policies or coordinates activities on health topics?

Based on 258 responses, 65% responded affirmatively to this question.

Question 6: Are each of the following groups represented on any school health council, committee, or team?

a. School administration

Based on 164 school principal responses, 94% indicated that school administration was represented in these groups.

b. Health education teachers

Based on 165 school principal responses, 89% indicated that health education teachers were represented in these groups.

c. Physical education teachers

Based on 164 school principal responses, 90% indicated that physical education teachers were represented in these groups.

d. Mental health or social services staff

Based on 159 school principal responses, 33% indicated that mental health or social services staff were represented in these groups.

e. Nutrition or food service staff

Based on 164 school principal responses, 88% indicated that nutrition or food service staff were represented in these groups.

f. Health services staff (e.g., school nurse)

Based on 163 school principal responses, 89% indicated that health services staff were represented in these groups.

g. Maintenance and transportation staff

Based on 159 school principal responses, 13% indicated that maintenance and transportation staff were represented in these groups.

h. Student body

Based on 161 school principal responses, 62% indicated that students were represented in these groups.

i. Parents or families of students

Based on 163 school principal responses, 71% indicated that parents or families of students were represented in these groups.

j. Community

Based on 162 school principal responses, 70% indicated that the community was represented in these groups.

k. Local health departments, agencies, or organizations

Based on 160 school principal responses, 42% indicated that local health departments, agencies, or organizations were represented in these groups.

l. Faith-based organizations

Based on 159 school principal responses, 8% indicated that faith-based organizations were represented in these groups.

m. Businesses

Based on 160 school principal responses, 24% indicated that businesses were represented in these groups.

n. Local government

Based on 159 school principal responses, 13% indicated that local government was represented in these groups.

Question 7: Are any school staff required to receive professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on HIV, STD, or pregnancy prevention issues and resources for the following groups?

- a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)

Based on 257 school principal responses, 17% responded affirmatively to this question for this group.

- b. Youth who participate in drop-out prevention, alternative education, or GED programs

Based on 257 school principal responses, 24% responded affirmatively to this question for this group.

Question 8: Does this school have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity? These clubs sometimes are called gay/straight alliances.

Based on 249 school principal responses, 15% responded affirmatively to this question. Eight percent (8%) of middle school principals, 12% of junior/senior high school principals, and 22% of high school principals responded affirmatively.

Question 9: Has your school adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS?

- a. Attendance of students with HIV infection

Based on 251 school principal responses, 56% responded affirmatively to this question.

- b. Procedures to protect HIV-infected students and staff from discrimination

Based on 251 school principal responses, 63% responded affirmatively to this question.

- c. Maintaining confidentiality of HIV-infected students and staff

Based on 252 school principal responses, 71% responded affirmatively to this question.

- d. Worksite safety (i.e., universal precautions for all school staff)

Based on 253 school principal responses, 82% responded affirmatively to this question.

- e. Confidential counseling for HIV-infected students

Based on 250 school principal responses, 55% responded affirmatively to this question.

- f. Communication of the policy to students, school staff, and parents

Based on 251 school principal responses, 61% responded affirmatively to this question.

- g. Adequate training about HIV infection for school staff

Based on 252 school principal responses, 64% responded affirmatively to this question.

- h. Procedures for implementing the policy

Based on 251 school principal responses, 60% responded affirmatively to this question.

Question 10: Are all staff who teach health education topics at this school certified, licensed, or endorsed by the state in health education?

Based on 254 school principal responses, 81% responded affirmatively to this question. This varied from 69% for middle school principals to 87% for high school principals and 95% for junior/senior high school principals.

Required Physical Education

Question 11: Is physical education required for students in any of grades 6 through 12 in this school?

Based on 272 responses, 97% of principals responded affirmatively to this question.

Question 12: Is a required physical education course taught in each of the following grades in this school? (Mark yes, no, or not applicable for each grade.)

Among principals who indicated that their schools required physical education for students in *any* of grades 6-12, at least 92% indicated that it was required in *each* of grades 6-12, with the highest percentages (99%) in grades 6-8. (These percentages were based on from 101 for 6th grade to 161 for 9th grade.)

Question 13: Can students be exempted from taking a required physical education course for one grading period or longer for any of the following reasons? (Mark yes or no for each reason.)

- a. Enrollment in other courses (i.e., math or science)
- b. Participation in school sports
- c. Participation in other school activities (i.e., ROTC, band, or chorus)
- d. Participation in community sports activities
- e. Religious reasons
- f. Long-term physical or medical disability
- g. Cognitive disability
- h. High physical fitness competency test score
- i. Participation in vocational training
- j. Participation in community service activities

Based on 238 responses, 80% indicated students may be exempted from physical education because of long-term physical/medical disability; based on 234 responses, 51% indicated students may be exempted for religious reasons; based on 236 responses, 42% indicated students may be exempted for enrollment in other courses. (The percentages of school principals responding affirmatively to the other reasons were all under 30%.)

Question 14: Are all staff who teach physical education at this school certified, licensed, or endorsed by the state in physical education?

Based on 255 responses, 96% responded affirmatively to this question.

Question 15: During the past two years, did any physical education teachers or specialists at this school receive professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on physical education?

Based on 253 responses, 73% responded affirmatively to this question. This varied from 64% for high school principals to 74% for junior/senior high school principals and 82% for middle school principals.

Question 16: Are those who teach physical education at this school provided with the following materials?

- a. Goals, objectives, and expected outcomes for physical education

Based on 253 responses, 94% responded affirmatively to this question.

- b. A chart describing the annual scope and sequence of instruction for physical education

Based on 249 responses, 75% responded affirmatively to this question.

- c. Plans for how to assess student performance in physical education

Based on 250 responses, 76% responded affirmatively to this question.

- d. A written physical education curriculum

Based on 251 responses, 86% responded affirmatively to this question.

Question 17: Does this school offer opportunities for all students to participate in intramural activities or physical activity clubs? (Intramural activities or physical activities clubs are any physical activities programs that are voluntary for students, in which students are given an equal opportunity to participate regardless of physical ability.)

Based on 242 responses, 55% responded affirmatively to this question.

Tobacco-Use Prevention Policies

Question 18: Has this school adopted a policy prohibiting tobacco use?

Based on 257 responses to this question, nearly all (98%) of the secondary school principals responded affirmatively to this question.

Question 19: Does the tobacco-use prevention policy specifically prohibit use of each type of tobacco for each of the following groups during any school-related activity? (Mark yes or no for each type of tobacco for each group.)

- a. Cigarettes
- b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)
- c. Cigars
- d. Pipes

The groups included (1) students, (2) faculty/staff, and (3) visitors.

Based on 253-254 responses, the percent affirming that their policies prohibited the use of various types of tobacco listed was 90-96% for students, 87-92% for faculty/staff, and 84-91% for school visitors.

Question 20: Does the tobacco-use prevention policy specifically prohibit tobacco use during each of the following times for each of the following groups? (Mark yes or no for each time for each group.)

- a. During school hours
- b. During non-school hours

As in the previous question, the groups included (1) students, (2) faculty/staff, and (3) visitors.

Based on 249 to 254 responses, the percent indicating their policies prohibited tobacco use for students was 97% during school hours and 94% during non-school hours; for faculty/staff, 94% during school hours and 76% during non-school hours; for visitors, 90% during school hours and 76% during non-school hours.

Question 21: Does the tobacco-use prevention policy specifically prohibit tobacco use in each of the following locations for each of the following groups? (Mark yes or no for each location for each group.)

Location

- a. In school buildings
- b. Outside on school grounds, including parking lots and playing fields
- c. In school buses or other vehicles used to transport students
- d. At off-campus, school-sponsored events

As in the previous questions, the groups included (1) students, (2) faculty/staff, and (3) visitors.

Based on 252-253 responses regarding the various locations, most principals (94-98%) responded that smoking was specifically prohibited therein for students. Based on 247-253 responses, regarding the locations “In school buildings” and “In school buses ... ,” 97% and 96% (respectively) affirmed that smoking was specifically prohibited in those areas for faculty/staff, while for locations “Outside on school grounds ...” and “At off-campus, school-sponsored events” 89% and 77% (respectively) indicated that smoking was specifically prohibited for faculty/staff. Based on 245 to 249 responses, regarding the “In school buildings” and “In school buses ... ,” 96% and 93% (respectively) indicated that smoking was specifically prohibited for visitors, while for locations “Outside on school grounds ...” and “At off-campus, school-sponsored events,” 84% and 53% (respectively) indicated that smoking was specifically prohibited for visitors.

Question 22: Does your school have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco? (Mark yes, no, or not applicable for each group.)

As in the previous questions, the groups included (1) students, (2) faculty/staff, and (3) visitors.

Based on 239-247 responses, 98% of principals indicated their schools had procedures to inform students about the tobacco prevention policy prohibiting use of tobacco, 97% indicated they had procedures to inform faculty/staff about the tobacco prevention policy prohibiting use of tobacco, and 86% indicated they had procedures to inform visitors about the tobacco prevention policy prohibiting use of tobacco.

Question 23: Does your school’s tobacco-use prevention policy include guidelines on what actions the school should take when students are caught smoking cigarettes?

Based on 247 responses, 98% of the principals responded in the affirmative on this question.

Question 24: At your school, who is responsible for enforcing your tobacco-use prevention policy?

Based on 223 responses, 55% of school principals selected “principal” and 40% selected “no single individual is responsible” on this question. Four percent (4%) selected “assistant principal.”

Question 25: Which of the following help determine what actions the school takes when students are caught smoking cigarettes? (Mark all that apply.)

- a. Zero tolerance
- b. Effect or severity of the violation
- c. Grade level of student
- d. Repeat offender status

e. None of these

Based on 259 responses, “zero tolerance” was selected by 80% of school principals, followed by “repeat offender status” by 45%, “effect or severity of the violation” by 21%, and “grade level of student” by 18% of school principals.

Question 26: When students are caught smoking cigarettes, how often are each of the following actions taken? (Mark one response for each action.)

Action

a. Parents or guardians are informed

Based on the 257 principals responding to this question regarding this action, 97% indicated parents or guardians were always or almost always informed.

b. Referred to a school counselor

Based on the 254 principals responding to this question regarding this action, 52% indicated students were sometimes referred to a counselor and 26% indicated they were always or almost always so referred.

c. Referred to a school administrator

Based on the 256 principals responding to this question regarding this action, 98% indicated students were always or almost always so referred.

d. Encouraged, but not required to participate in an assistance, education, or cessation program

Based on the 255 principals responding to this question regarding this action, the highest percentage (47%) indicated students were sometimes encouraged to participate in such a program.

e. Required to participate in an assistance, education, or cessation program

Based on the 254 principals responding to this question regarding this action, 38% indicated students were never required to participate in such a program and 28% indicated they were rarely so required, while 27% indicated they were sometimes required to do so.

f. Referred to legal authorities

Based on the 254 principals responding to this question regarding this action, 44% indicated students were sometimes referred to legal authorities and 36% indicated they were always or almost always so referred.

g. Placed in detention

Based on the 252 principals responding to this question regarding this action, about 31% indicated students were never or rarely placed in detention (if caught smoking cigarettes), while another 31% indicated they were sometimes detained and 24% indicated they were always or almost always detained.

h. Not allowed to participate in extra-curricular activities or interscholastic sports

Based on the 255 principals responding to this question regarding this action, 78% indicated students were always or almost always not allowed to participate in such activities or sports.

i. Given in-school suspension

Based on the 255 principals responding to this question regarding this action, 45% indicated students were sometimes given in-school suspension and 31% indicated they were always or almost always given such suspension.

j. Suspended from school

Based on the 256 principals responding to this question regarding this action, 40% indicated students were sometimes suspended from school and 26% indicated they were always or almost always suspended therefrom.

- k. Expelled from school

Based on the 255 principals responding to this question regarding this action, 74% indicated students were never and 19% indicated they were rarely expelled from school.

- l. Reassigned to an alternative school

Based on the 252 principals responding to this question regarding this action, 75% indicated students were never and 21% indicated they were rarely reassigned to an alternative school.

Question 27: Does your school post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed?

Based on 255 principals responding to this question, 73% indicated their school posted signs marking a tobacco-free school zone. This was an increase in the percentage of school principals indicating they posted such signs over that reported in the 2006 SHP (60%), 2004 SHP (52%), 2002 SHP (46%), and the 2000 SHP (28%) (e.g., Veale, 2007).

Question 28: During the past two years, has your school ... (Mark yes or no for each activity.)

- a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts?

Based on 259 principals responding to this question, 50% responded affirmatively.

- b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use?

Based on 257 principals responding to this question, 60% responded affirmatively.

Question 29: Does your school provide tobacco cessation services for each of the following groups? (Mark yes or no for each group.)

The groups were (a) faculty and staff and (b) students.

Based on the 256 principals responding to part (a) of this question, 10% indicated that faculty and staff would be provided tobacco cessation services. Based on the 256 principals responding to part (b), 19% indicated that students would be provided such services (if caught using tobacco).

Question 30: Does your school have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups? (Mark yes or no for each group.)

The groups were (a) faculty and staff and (b) students.

Based on the 257 principals responding to part (a) of this question, 22% indicated that faculty or staff would be provided (off campus) tobacco cessation services. Based on 257 principals responding to part (b) of this question, 38% indicated that students would be provided such services.

Nutrition-Related Policies and Practices

Question 31: When foods or beverages are offered at school celebrations, how often are fruits or non-fried vegetables offered?

Based on 257 principals responding to this question, 61% indicated fruits or non-fried vegetables were sometimes offered and 18% indicated they were always or almost always offered.

Question 32: Can student purchase snack foods or beverages from one or more vending machines at the school or at the school store, canteen, or snack bar?

Based on 259 principals, 86% responded in the affirmative to this question.

Question 33: Can students purchase each snack food or beverage from vending machines or at the school store, canteen, or snack bar? (Mark yes or no for each food or beverage.)

Food/Beverage

- a. Chocolate candy
- b. Other kinds of candy
- c. Salty snacks that are not low in fat, such as regular potato chips
- d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat
- e. Ice cream or frozen yogurt that is not low in fat
- f. 2% or whole milk (plain or flavored)
- g. Water ices or frozen slushes that do not contain juice
- h. Soda pop or fruit drinks that are not 100% juice
- i. Sports drinks, such as Gaterade
- j. Foods or beverages containing caffeine
- k. Fruits (not fruit juice)
- l. Non-fried vegetables (not vegetable juice)

Among those schools where students can purchase snack foods/beverages, based on 253 to 255 responses, the percentage responding “yes” were as follows: chocolate candy 25%; other kinds of candy 29%; salty snacks that are *not* low in fat, such as regular potato chips, 34%; cookies, crackers, cakes, pastries, or other baked goods that are not low in fat 36%; ice cream or frozen yogurt that is not low in fat 23%; 2% or whole milk (plain or flavored) 48%; water ices or frozen slushes that do not contain juice 11%; soda pop or fruit drinks that are not 100% juice 51%; sports drinks, such as Gaterade, 74%; foods or beverages containing caffeine 51%; fruits (not fruit juice) 36%; and non-fried vegetables (not vegetable juice) 19%.⁴

Question 34: Does this school limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar?

Based on 255 principals, 57% responded in the affirmative.

Question 35: During this school year, has your school done any of the following?

- a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages
- b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating
- c. Provided information to students or families on the nutrition and caloric content of foods available
- d. Conducted taste tests to determine food preferences for nutritious item

⁴ Note that this question was revised from previous surveys. It is not known, for example, what percentage of schools in 2008 had 100% fruit juices available or skim (or 1%) milk. It might be useful to know if schools are making other healthy foods/beverages available besides fruits and non-fried vegetables.

- e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics

Based on 257 principals, 54% indicated they collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating and 51% indicated they provided information to students or families on the nutrition and caloric content of foods available. The other parts (a, d, and e) drew fewer than 20% responding affirmatively.

Question 36: At this school, are candy, meals from fast food restaurants, or soft drinks promoted through the distribution of products, such as t-shirts, hats, and book covers to students?

Based on 256 principals, only 3% responded affirmatively.

Question 37: Does this school prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations?

- a. In the school building
- b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus
- c. On school buses or other vehicles used to transport students
- d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)

Based on 258-259 principals, the percentage responding affirmatively ranged from 50% for prohibition on school grounds to 70% for prohibition on school buses or other vehicles for transporting students.

Health Services

Question 38: Is there a full-time registered nurse who provides health services to students at your school? (A full-time nurse means that a nurse is at the school during all school hours, 5 days per week.)

Based on 259 principals responding to this question, 42% indicated they had a full-time registered nurse.

Question 39: Which of the following sources of school health information does your school use to identify students diagnosed with chronic health conditions such as asthma? (Mark all that apply.)

- a. This school does not identify students diagnosed with chronic health conditions such as asthma
- b. Student emergency cards
- c. Medication records
- d. Health room visit information
- e. Emergency care plans
- f. Physical exam records
- g. Notes from parents
- h. Other

Based on 249-259 principals, 87% marked notes from parents, 83% marked student emergency cards and medication records, 65% marked physical exam records, and 59% marked emergency care plans.

Question 40: At your school, how many students with known asthma have an asthma action plan on file? (Mark one response.)

- a. This school has no students with known asthma.
- b. All students with known asthma have an asthma action plan on file.
- c. Most students with known asthma have an asthma action plan on file.
- d. Some students with known asthma have an asthma action plan on file.
- e. No students with known asthma have an asthma action plan on file.

Based on 252 principals, 43% indicated all students, 24% indicated most students, 19% indicated some students, and 10% indicated no students with known asthma have an asthma action plan on file. Only 4% indicated that there were no students with known asthma in their school.

Question 41: At your school, which of the following information is used to identify students with poorly controlled asthma? (Mark all that apply.)

- a. This school does not identify students with poorly controlled asthma.
- b. Frequent absences from school
- c. Frequent visits to the school health office due to asthma
- d. Frequent asthma symptoms at school
- e. Frequent non-participation in physical education class due to asthma
- f. Student sent home early due to asthma
- g. Calls from school to 911, or other local emergency numbers, due to asthma

Based on 258-259 principals responding to this question, most selected frequent visits to the school health office (62%), frequent asthma symptoms at school (55%), and frequent non-participation in physical education class due to asthma (41%).

Question 42: Does your school provide the following services for students with poorly controlled asthma?

- a. Providing referrals to primary healthcare clinicians or child health insurance programs
- b. Ensuring an appropriate written asthma action plan is obtained
- c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school
- d. Offering asthma education for the student with asthma and his/her family
- e. Minimizing asthma triggers in the school environment
- f. Addressing social and emotional issues related to asthma
- g. Providing additional psychosocial counseling or support services as needed
- h. Ensuring access to safe, enjoyable physical education and activity opportunities
- i. Ensuring access to preventive medications before physical activity

Based on 237-243 principals, most indicated they provided access to safe, enjoyable physical education (91%), preventive medications before physical activity (89%), and access to and appropriate use of asthma medications at school (84%). On the other hand, only 39% indicated they provided additional psychosocial counseling or support services as needed.

Question 43: Does this school have a designated and secure storage location for medications, including quick-relief asthma medications? (A secure location is one that is locked or inaccessible to everyone except the school nurse or her designee.)

Based on 257 principals, 95% responded affirmatively to this question.

Question 44: Is this location accessible at all times by the school nurse or her designee?

Based on 240 principals, 100% responded affirmatively to this question.

Question 45: How often are school staff members required to receive training on recognizing and responding to severe asthma symptoms? (Mark one response.)

- a. More than once per year
- b. Once per year
- c. Less than once per year
- d. No such requirement

Based on 252 principals responding to this question, 51% indicated there was no such requirement and 35% indicated staff were required to receive such training once a year.

Question 46: Has your school adopted a policy stating that students are permitted to carry and self-administer asthma medications?

Based on 255 principals, 69% responded in the affirmative to this question.

Question 47: Does your school have procedures to inform each of the following groups about your school's policy permitting students to carry and self-administer asthma medications?

- a. Students
- b. Parents/families

Based on 174 principals responding affirmatively to the previous question regarding policy to self-administer asthma medications (and to this question), 90% indicated they have procedures to inform students and 91% indicated they have procedures to inform parents/families of these procedures.

Question 48: At your school, who is responsible for implementing your school's policy permitting students to carry and self-administer asthma medication? (Mark one response.)

- a. No single individual is responsible
- b. Principal
- c. Assistant principal
- d. School nurse
- e. Other school faculty or staff member

Based on 159 principals responding affirmatively to the previous question regarding policy to self-administer asthma medications (and to this question), 66% indicated the school nurse was responsible and 22% indicated that no single individual was responsible for implementing that policy.

Family and Community Involvement

Question 49: During the past two years, have students' families helped develop or implement policies and programs related to the following topics?

- a. HIV, STD, or teen pregnancy prevention

- b. Tobacco-use prevention
- c. Physical activity
- d. Nutrition and healthy eating
- e. Asthma

Based on 256-258 principals, 66% indicated students' families helped develop or implement policies/programs for nutrition and healthy eating, 39% indicated they helped with policies/programs for physical activity, and 28% indicated they helped with policies/programs for tobacco-use prevention.

Question 50: During the past two years, have community members helped develop or implement policies and programs related to the following topics?

- a. HIV, STD, or teen pregnancy prevention
- b. Tobacco-use prevention
- c. Physical activity
- d. Nutrition and healthy eating
- e. Asthma

Based on 255-257 principals, 69% indicated students' families helped develop or implement policies/programs for nutrition and healthy eating, 42% indicated they helped with policies/programs for physical activity, and 35% indicated they helped with policies/programs for tobacco-use prevention.

2008 Iowa School Health Profiles:

Results of the Lead Health Education Teacher Survey

The results of the 2008 Iowa SHP based on the lead health education teacher (LHET) survey are presented below. Point estimates (in percent) are provided along with the number of responses on which these percentages were based. In selected questions, grade level breakdowns or comparisons with results from the 2006 (or earlier) profiles are provided if significant or substantial differences were indicated.

Required Health Education

Question 1: Is a health education course required for students in any of grades 6 through 12 in this school? (Mark one response.)

Based on 241 LHETs, 81% responded affirmatively to this question.

Question 2: How many required health education courses do students take in grades 6 through 12 in this school?

- a. 0 courses
- b. 1 course
- c. 2 courses
- d. 3 courses
- e. 4 or more courses

Based on 228 LHETs, 32% indicated 1 course was required, 23% indicated 2 courses, 14% indicated 3 courses, and 9% indicated 4 or more courses were required. Twenty-three (23) percent indicated no courses were required. (Note that the latter figure is slightly higher than the 19% responding no to the first question.)

Question 3: Is a required health education course taught in each of the following grades in this school?

The response choices were grades 6-12. Based on the LHET responses in the number of schools in each of the grades (varied from 89 in 6th to 166 in 9th grades), the percentages were as follows: 6th (36%), 7th (56%), 8th (59%), 9th (49%), 10th (30%), 11th (18%), and 12th (16%). Thus, there were substantial differences in the percentages of schools in which required health education courses were taught in 7th, 8th and 9th grades compared with 10th, 11th and 12th grades (lower percentages teaching required health education courses in the higher grades).

Question 4: If students fail a required health education course, are they required to repeat it?

Based on 170 LHETs who indicated in Questions 1 and 2 that required health education courses were taught, 66% responded affirmatively to this question.

Question 5: Are those who teach health education at this school provided with the following materials?

- a. Goals, objectives, and expected outcomes for health education
- b. A chart describing the annual scope and sequence of instruction for health education
- c. Plans for how to assess student performance in health education
- d. A written health education curriculum

Based on 239-242 LHETs, 83% indicated goals, objective, and expected outcomes were provided, 55% indicated a scope and sequence chart was provided, 62% indicated assessment plans were provided, and 72% indicated a curriculum was provided.

Question 6: Does your health education curriculum address each of the following?

- a. Comprehending concepts related to health promotion and disease prevention to enhance health
- b. Analyzing the influence of family, peers, culture, media, technology, and other factors on health behaviors
- c. Accessing valid information and products and services to enhance health
- d. Using interpersonal communication skills to enhance health and avoid or reduce health risks
- e. Using decision-making skills to enhance health
- f. Using goal-setting skills to enhance health
- g. Practicing health-enhancing behaviors to avoid or reduce risks
- h. Advocating for personal, family, and community health

Based on 229-230 LHETs, the percentages responding affirmatively to these skill areas were all at or above 90%.

Question 7: During this school year, have teachers in this school tried to increase student knowledge on each of the following topics in a required course in any of grades 6 through 12? (Mark yes or no for each topic.)

Topic

- a. Alcohol or other drug use prevention

Based on 240 responses to this part of the question, 95% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of alcohol or other drug use prevention.

- b. Asthma awareness

Based on 239 responses to this part of the question, 37% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of asthma awareness.

- c. Emotional and mental health

Based on 241 responses to this part of the question, 87% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of emotional and mental health.

- d. Foodborne illness prevention

Based on 240 responses to this part of the question, 64% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of foodborne illness prevention.

- e. HIV (Human Immunodeficiency virus) prevention

Based on 241 responses to this part of the question, 88% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of HIV prevention.

- f. Human sexuality

Based on 241 responses to this part of the question, 87% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of human sexuality.

- g. Injury prevention and safety

Based on 239 responses to this part of the question, 79% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of injury prevention and safety.

h. Nutrition and dietary behavior

Based on 234 responses to this part of the question, 95% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of nutrition and dietary behavior.

i. Physical activity and fitness

Based on 233 responses to this part of the question, 98% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of physical activity and fitness.

j. Pregnancy prevention

Based on 242 responses to this part of the question, 83% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of pregnancy prevention.

k. STD (sexually transmitted disease) prevention

Based on 242 responses to this part of the question, 85% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of STD prevention.

l. Suicide prevention

Based on 240 responses to this part of the question, 66% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of suicide prevention.

m. Tobacco-use prevention

Based on 238 responses to this part of the question, 94% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of tobacco-use prevention.

n. Violence prevention (such as bullying, fighting, or homicide)

Based on 240 responses to this part of the question, 85% of LHETs indicated that teachers in their school tried to increase student knowledge in the area of violence prevention.

Question 8: During this school year, did teachers in this school teach each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12? (Mark yes or no for each topic.)

Topic

a. Identifying tobacco products and the harmful substances they contain

Based on 241 responses to this part of the question, 89% of LHETs indicated that teachers in their school taught identifying tobacco products and the harmful substances they contain.

b. Identifying short and long-term health consequences of tobacco use

Based on 241 responses to this part of the question, 90% of LHETs indicated that teachers in their school taught identifying short and long-term health consequences of tobacco use.

c. Identifying legal, social, economic, and cosmetic consequences of tobacco use

Based on 242 responses to this part of the question, 82% of LHETs indicated that teachers in their school taught identifying legal, social, economic, and cosmetic consequences of tobacco use.

d. Understanding the addictive nature of nicotine

Based on 240 responses to this part of the question, 88% of LHETs indicated that teachers in their school taught understanding the addictive nature of nicotine.

e. Effects of tobacco use on athletic performance

Based on 241 responses to this part of the question, 77% of LHETs indicated that teachers in their school taught the effects of tobacco use on athletic performance.

f. Effects of second-hand smoke and benefits of a smoke-free environment

Based on 241 responses to this part of the question, 86% of LHETs indicated that teachers in their school taught the effects of second-hand smoke and benefits of a smoke-free environment.

g. Understanding the social influences on tobacco use, including media, family, peers, and culture

Based on 241 responses to this part of the question, 84% of LHETs indicated that teachers in their school taught understanding the social influences on tobacco use, including media, family, peers, and culture.

h. Identifying reasons why students do and do not use tobacco

Based on 241 responses to this part of the question, 85% of LHETs indicated that teachers in their school taught identifying reasons students do and do not use tobacco.

i. Making accurate assessments of how many peers use tobacco

Based on 241 responses to this part of the question, 60% of LHETs indicated that teachers in their school taught making accurate assessments of how many peers use tobacco.

j. Using interpersonal communication skills to avoid tobacco use (e.g., refusal skills, assertiveness)

Based on 242 responses to this part of the question, 80% of LHETs indicated that teachers in their school taught using interpersonal communication skills to avoid tobacco use.

k. Using goal-setting and decision-making skills related to not using tobacco

Based on 241 responses to this part of the question, 74% of LHETs indicated that teachers in their school taught using goal-setting and decision-making skills related to not using tobacco.

l. Finding valid information and services related to tobacco-use prevention and cessation

Based on 240 responses to this part of the question, 72% of LHETs indicated that teachers in their school taught finding valid information and services related to tobacco-use prevention and cessation.

m. Supporting others who abstain from or want to quit using tobacco

Based on 241 responses to this part of the question, 70% of LHETs indicated that teachers in their school taught supporting others who abstain from or want to quit using tobacco.

n. Supporting school and community action to support a tobacco-free environment

Based on 242 responses to this part of the question, 71% of LHETs indicated that teachers in their school taught supporting school and community action to support a tobacco-free environment.

o. Identifying harmful effects of tobacco use on fetal development

Based on 239 responses to this part of the question, 80% of LHETs indicated that teachers in their school taught identifying harmful effects of tobacco use on fetal development.

A summary measure for this question on tobacco-use prevention topics is the percentage responding “yes” on all parts a-o. Based on 241 responding to all parts, 44% of LHETs indicated they taught *all* of these prevention topics.

Question 9: During this school year, did teachers in this school teach each of the following HIV, STD, or pregnancy prevention topics in a required course for students in any of grades 6, 7, or 8? (Mark yes or no for each topic. Not Applicable for each topic if your school does not contain any of grades 6, 7, or 8.)

Topic

- a. The differences between HIV and AIDS

Based on 116 responses to this part of the question, 86% of LHETs in grades 6-8 indicated that teachers in their schools taught the differences between HIV and AIDS.

- b. How HIV and other STDs are transmitted

Based on 117 responses to this part of the question, 89% of LHETs in grades 6-8 indicated that teachers in their schools taught how HIV and other STDs are transmitted.

- c. How HIV and other STDs are diagnosed and treated

Based on 115 responses to this part of the question, 80% of LHETs in grades 6-8 indicated that teachers in their schools taught how HIV and other STDs are diagnosed and treated.

- d. Health consequences of HIV, other STDs, and pregnancy

Based on 117 responses to this part of the question, 83% of LHETs in grades 6-8 indicated that teachers in their schools taught the health consequences of HIV, other STDs, and pregnancy.

- e. The benefits of being sexually abstinent

Based on 115 responses to this part of the question, 86% of LHETs in grades 6-8 indicated that teachers in their schools taught the benefits of being sexually abstinent.

- f. How to prevent HIV, other STDs, and pregnancy

Based on 115 responses to this part of the question, 84% of LHETs in grades 6-8 indicated that teachers in their schools taught how to prevent HIV, other STDs, and pregnancy.

- g. How to access valid and reliable health information, products, and services related to HIV, other STDs, and pregnancy

Based on 116 responses to this part of the question, 77% of LHETs in grades 6-8 indicated that teachers in their schools taught how to access valid and reliable health information, products, and services related to HIV, other STDs, and pregnancy.

- h. The influences of media, family, and social and cultural norms on sexual behavior

Based on 115 responses to this part of the question, 77% of LHETs in grades 6-8 indicated that teachers in their schools taught the influences of media, family, and social and cultural norms on sexual behavior.

- i. Communication and negotiation skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy

Based on 115 responses to this part of the question, 71% of LHETs in grades 6-8 indicated that teachers in their schools taught communication and negotiation skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy.

- j. Goal-setting and decision-making skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy

Based on 116 responses to this part of the question, 75% of LHETs in grades 6-8 indicated that teachers in their schools taught goal-setting and decision-making skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy.

k. Compassion for persons living with HIV or AIDS

Based on 114 responses to this part of the question, 67% of LHETs in grades 6-8 indicated that they taught compassion for persons living with HIV or AIDS.

A summary measure for this question on pregnancy, HIV infection, and STD prevention topics is the percentage responding “yes” on all parts a-k. Based on 114 responding to all parts, 54% of LHETs in grades 6-8 indicated they taught *all* of these prevention topics.

Question 10: During this school year, did teachers in this school teach each of the following HIV, STD, or pregnancy prevention topics in a required course for students in any of grades 9, 10, 11, or 12? (Mark yes or no for each topic. Not Applicable for each topic if your school does not contain any of grades 9, 10, 11, or 12.)

Topic

a. The relationship among HIV, other STDs, and pregnancy

Based on 148 responses to this part of the question, 84% of LHETs in grades 9-12 indicated that teachers in their schools taught the relationship among HIV, other STDs, and pregnancy.

b. The relationship between alcohol and other drug use and risk for HIV, other STDs, and pregnancy

Based on 148 responses to this part of the question, 83% of LHETs in grades 9-12 indicated that teachers in their schools taught the relationship between alcohol and other drug use and risk for HIV, other STDs, and pregnancy.

c. The benefits of being sexually abstinent

Based on 148 responses to this part of the question, 83% of LHETs in grades 9-12 indicated that teachers in their schools taught the benefits of being sexually abstinent.

d. How to prevent HIV, other STDs, and pregnancy

Based on 148 responses to this part of the question, 83% of LHETs in grades 9-12 indicated that teachers in their schools taught how to prevent HIV, other STDs, and pregnancy.

e. How to access valid and reliable health information, products, and services related to HIV, other STDs, and pregnancy

Based on 146 responses to this part of the question, 79% of LHETs in grades 9-12 indicated that teachers in their schools taught how to access valid and reliable health information, products, and services related to HIV, other STDs, and pregnancy.

f. The influences of media, family, and social and cultural norms on sexual behavior

Based on 146 responses to this part of the question, 78% of LHETs in grades 9-12 indicated that teachers in their schools taught the influences of media, family, and social and cultural norms on sexual behavior.

g. Communication and negotiation skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy

Based on 146 responses to this part of the question, 75% of LHETs in grades 9-12 indicated that teachers in their schools taught communication and negotiation skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy.

h. Goal-setting and decision-making skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy

Based on 147 responses to this part of the question, 75% of LHETs in grades 9-12 indicated that teachers in their schools taught goal-setting and decision-making skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy.

- i. Efficacy of condoms, that is, how well condoms work and do not work

Based on 146 responses to this part of the question, 76% of LHETs in grades 9-12 indicated that teachers in their schools taught the efficacy of condoms, that is, how well condoms work and do not work.

- j. The importance of using condoms consistently and correctly

Based on 145 responses to this part of the question, 70% of LHETs in grades 9-12 indicated that teachers in their schools taught the importance of using condoms consistently and correctly.

- k. How to obtain condoms

Based on 143 responses to this part of the question, 56% of LHETs in grades 9-12 indicated that teachers in their schools taught how to obtain condoms.

A summary measure for this question on pregnancy, HIV infection, and STD prevention topics is the percentage responding “yes” on all parts a-k. Based on 144 responding to all parts, 48% of LHETs in grades 9-12 indicated they taught *all* of these prevention topics.

Question 11: During this school year, did teachers in this school teach each of the following nutrition and dietary topics in a required course for students in any of grades 6 through 12? (Mark yes or no for each topic.)

Topic

- a. Benefits of healthy eating

Based on 236 responses to this part of the question, 93% of LHETs indicated that they taught the benefits of healthy eating as part of a required course.

- b. Food guidance using MyPyramid

Based on 238 responses to this part of the question, 87% of LHETs indicated that they taught MyPyramid as part of a required course.

- c. Using food labels

Based on 238 responses to this part of the question, 85% of LHETs indicated that they taught using food labels as part of a required course.

- d. Balancing food intake and physical activity

Based on 237 responses to this part of the question, 89% of LHETs indicated that they taught balancing food intake and physical activity as part of a required course.

- e. Eating more fruits, vegetables, and whole grain products

Based on 238 responses to this part of the question, 91% of LHETs indicated that they taught eating fruits, vegetables, and whole grain products as part of a required course.

- f. Choosing foods that are low in fat, saturated fat, and cholesterol

Based on 238 responses to this part of the question, 89% of LHETs indicated that they taught choosing foods low in fat, saturated fat, and cholesterol as part of a required course.

- g. Using sugars in moderation

Based on 237 responses to this part of the question, 86% of LHETs indicated that they taught a moderate use of sugars as part of a required course.

h. Using salt and sodium in moderation

Based on 237 responses to this part of the question, 85% of LHETs indicated that they taught a moderate use of salt and sodium as part of a required course.

i. Eating more calcium-rich foods

Based on 237 responses to this part of the question, 80% of LHETs indicated that they taught eating more calcium-rich foods as part of a required course.

j. Food safety

Based on 239 responses to this part of the question, 74% of LHETs indicated that they taught food safety as part of a required course.

k. Preparing healthy meals and snacks

Based on 238 responses to this part of the question, 77% of LHETs indicated that they taught preparing healthy meals and snacks as part of a required course.

l. Risks of unhealthy weight control practices

Based on 238 responses to this part of the question, 87% of LHETs indicated that they taught risks of unhealthy weight control practices as part of a required course.

m. Accepting body size differences

Based on 236 responses to this part of the question, 76% of LHETs indicated that they taught accepting body size differences as part of a required course.

n. Signs, symptoms, and treatment for eating disorders

Based on 239 responses to this part of the question, 78% of LHETs indicated that they taught eating disorders as part of a required course.

A summary measure for this question on nutrition and dietary topics is the percentage responding “yes” on all parts a-n. Based on 240 responding to all parts, 54% of LHETs indicated they taught *all* of these topics in a required course.

Question 12: During this school year, did teachers in this school teach each of the following physical activity topics in a required course for students in any of grades 6 through 12? (Mark yes or no for each topic.)

Topic

a. Physical, psychological, or social benefits of physical activity

Based on 237 responses to this part of the question, 93% of LHETs indicated that they taught the various benefits of physical activity as part of a required course.

b. Health-related fitness (i.e., cardiovascular endurance, muscular endurance, muscular strength, flexibility, and body composition)

Based on 238 responses to this part of the question, 91% of LHETs indicated that they taught health-related fitness as part of a required course.

c. Phases of a workout (i.e., warm-up, workout, and cool down)

Based on 236 responses to this part of the question, 87% of LHETs indicated that they taught phases of a workout as part of a required course.

d. How much physical activity is enough (i.e., determining frequency, intensity, time, and type of physical activity)

Based on 237 responses to this part of the question, 84% of LHETs indicated that they taught how much physical activity is enough as part of a required course.

- e. Developing an individualized physical activity plan

Based on 238 responses to this part of the question, 69% of LHETs indicated that they taught developing an individualized physical activity plan as part of a required course.

- f. Monitoring progress toward reaching goals in an individualized physical activity plan

Based on 237 responses to this part of the question, 65% of LHETs indicated that they taught monitoring progress toward reaching goals in an individualized physical activity plan as part of a required course.

- g. Overcoming barriers to physical activity

Based on 237 responses to this part of the question, 72% of LHETs indicated that they taught overcoming barriers to physical activity as part of a required course.

- h. Decreasing sedentary activities such as television watching

Based on 238 responses to this part of the question, 83% of LHETs indicated that they taught decreasing sedentary activities as part of a required course.

- i. Opportunities for physical activity in the community

Based on 238 responses to this part of the question, 82% of LHETs indicated that they taught about opportunities for physical activity in the community as part of a required course.

- j. Preventing injury during physical activity

Based on 238 responses to this part of the question, 82% of LHETs indicated that they taught preventing injury during physical activity as part of a required course.

- k. Weather-related safety (e.g., avoiding heat stroke, hypothermia, and sunburn while physically active)

Based on 238 responses to this part of the question, 73% of LHETs indicated that they taught weather-related safety as part of a required course.

- l. Dangers of using performance-enhancing drugs, such as steroids

Based on 238 responses to this part of the question, 82% of LHETs indicated that they taught the dangers of using performance-enhancing drugs as part of a required course.

A summary measure for this question on physical activity topics is the percentage responding “yes” on all parts a-l. Based on 239 responding to all parts, 44% of LHETs indicated they taught *all* of these topics in required courses.

HIV Prevention

Question 13: During this school year, did your school provide any HIV, STD, or pregnancy prevention programs for ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth), including after-school or supplemental programs, that did each of the following? (Mark yes or no for each activity.)

- a. Provided curricula or supplementary materials that include pictures, information, and learning experiences that reflect the life experiences of these youth in their communities

Based on 242 LHETs, 21% responded affirmatively to this question/activity.

- b. Provided curricula or supplementary materials in the primary languages of the youth or families

Based on 241 LHETs, 13% responded affirmatively to this question/activity.

- c. Facilitated access to direct health services or arrangements with providers not on school property who have experience in serving these youth in the community

Based on 241 LHETs, 18% responded affirmatively to this question/activity.

- d. Facilitated access to direct social services and psychosocial services or arrangements with providers not on school property who have experience in serving these youth in the community

Based on 241 LHETs, 17% responded affirmatively to this question/activity.

Collaboration

Question 14: During this school year, have any health education staff worked with each of the following groups on health education activities? (Mark yes or no for each group.)

Group

- a. Physical education staff

Based on 244 responses to this part of the question, 66% of LHETs indicated that they worked with physical education staff on health education activities.

- b. School health services staff (e.g., nurses)

Based on 244 responses to this part of the question, 67% of LHETs indicated that they worked with school health services staff on health education activities.

- c. School mental health or social services staff (e.g., psychologists, counselors, and social workers)

Based on 244 responses to this part of the question, 45% of LHETs indicated that they worked with school mental health or social services staff on health education activities.

- d. Nutrition or food service staff

Based on 242 responses to this part of the question, 36% of LHETs indicated that they worked with nutrition or food service staff on health education activities.

Question 15: During this school year, did your school provide parents and families with health information designed to increase parent and family knowledge of the following topics? (Mark yes or no for each topic.)

Topic

- a. HIV prevention, STD prevention, or teen pregnancy prevention

Based on 238 responses to this part of the question, 27% of LHETs indicated that their schools provided health information designed to increase parent and family knowledge of this topic.

- b. Tobacco-use prevention

Based on 237 responses to this part of the question, 35% of LHETs indicated that their schools provided health information designed to increase parent and family knowledge of this topic.

- c. Physical activity

Based on 238 responses to this part of the question, 38% of LHETs indicated that their schools provided health information designed to increase parent and family knowledge of this topic.

d. Nutrition and healthy eating

Based on 238 responses to this part of the question, 40% of LHETs indicated that their schools provided health information designed to increase parent and family knowledge of this topic.

e. Asthma

Based on 237 responses to this part of the question, 12% of LHETs indicated that their schools provided health information designed to increase parent and family knowledge of this topic.

Professional Development

Question 16: During the past two years, did you receive professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics? (Mark yes or no for each topic.)

Topic

a. Alcohol or other drug use prevention

Based on 244 responses to this part of the question, 31% of LHETs indicated that they received staff development in the area of alcohol or other drug use prevention, during the past two years.

b. Asthma awareness

Based on 244 responses to this part of the question, 9% of LHETs indicated that they received staff development in the area of asthma awareness, during the past two years.

c. Emotional and mental health

Based on 244 responses to this part of the question, 25% of LHETs indicated that they received staff development in the area of emotional and mental health, during the past two years.

d. Foodborne illness prevention

Based on 244 responses to this part of the question, 21% of LHETs indicated that they received staff development in the area of foodborne illness prevention, during the past two years.

e. HIV (human immunodeficiency virus) prevention

Based on 244 responses to this part of the question, 28% of LHETs indicated that they received staff development in the area of HIV prevention, during the past two years.

f. Human sexuality

Based on 243 responses to this part of the question, 21% of LHETs indicated that they received staff development in the area of human sexuality, during the past two years.

g. Injury prevention and safety

Based on 243 responses to this part of the question, 32% of LHETs indicated that they received staff development in the area of injury prevention and safety, during the past two years.

h. Nutrition and dietary behavior

Based on 244 responses to this part of the question, 31% of LHETs indicated that they received staff development in the area of nutrition and dietary behavior, during the past two years.

i. Physical activity and fitness

Based on 244 responses to this part of the question, 35% of LHETs indicated that they received staff development in the area of physical activity and fitness, during the past two years.

j. Pregnancy prevention

Based on 243 responses to this part of the question, 18% of LHETs indicated that they received staff development in the area of pregnancy prevention, during the past two years.

k. STD (sexually transmitted disease) prevention

Based on 244 responses to this part of the question, 22% of LHETs indicated that they received staff development in the area of STD prevention, during the past two years.

l. Suicide prevention

Based on 244 responses to this part of the question, 16% of LHETs indicated that they received staff development in the area of suicide prevention, during the past two years.

m. Tobacco-use prevention

Based on 244 responses to this part of the question, 21% of LHETs indicated that they received staff development in the area of tobacco-use prevention, during the past two years.

n. Violence prevention (such as bullying, fighting, and homicide)

Based on 243 responses to this part of the question, 53% of LHETs indicated that they received staff development in the area of violence prevention, during the past two years. This was by far the most frequently indicated area in which professional development occurred in the past two years.

Question 17: During the past two years, did you receive professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics? (Mark yes or no for each topic.)

a. Describing how widespread HIV and other STD infections are and the consequences of these infections

Based on 244 LHETs responding, 25% indicated they received this type of professional development during the past two years.

b. Understanding the modes of transmission and effect prevention strategies for HIV and other STDs

Based on 244 LHETs responding, 29% indicated they received this type of professional development during the past two years.

c. Identifying populations of youth who are at high risk of being infected with HIV and other STDs

Based on 244 LHETs responding, 22% indicated they received this type of professional development during the past two years.

d. Implementing health education strategies using prevention messages that are likely to be effective in reaching youth

Based on 242 LHETs responding, 22% indicated they received this type of professional development during the past two years.

e. Teaching HIV prevention education to students with physical, medical, or cognitive disabilities

Based on 243 LHETs responding, 11% indicated they received this type of professional development during the past two years.

f. Teaching HIV prevention education to students with various cultural backgrounds

Based on 244 LHETs responding, 17% indicated they received this type of professional development during the past two years.

- g. Using interactive teaching methods, such as role plays or cooperative group activities, for HIV prevention education

Based on 243 LHETs responding, 22% indicated they received this type of professional development during the past two years.

- h. Teaching essential skills for health behavior change related to HIV prevention and guiding student practice on these skills

Based on 244 LHETs responding, 22% indicated they received this type of professional development during the past two years.

- i. Teaching about health-promoting social norms and beliefs related to HIV prevention

Based on 243 LHETs responding, 19% indicated they received this type of professional development during the past two years.

- j. Strategies for involving parents, families, and others in student learning of HIV prevention education

Based on 244 LHETs responding, 12% indicated they received this type of professional development during the past two years.

- k. Assessing students' performance in HIV prevention education

Based on 243 LHETs responding, 15% indicated they received this type of professional development during the past two years.

- l. Implementing standards-based HIV prevention education curriculum and student assessment

Based on 244 LHETs responding, 16% indicated they received this type of professional development during the past two years.

- m. Using technology to improve HIV prevention education instruction

Based on 243 LHETs responding, 16% indicated they received this type of professional development during the past two years.

- n. Teaching HIV prevention education to students with limited English proficiency

Based on 243 LHETs responding, 8% indicated they received this type of professional development during the past two years.

- o. Addressing community concerns and challenges related to HIV prevention education

Based on 244 LHETs responding, 10% indicated they received this type of professional development during the past two years.

The percentages indicating LHETs had received professional development on these 15 topics related to sexuality education, HIV, and STD prevention ranged from 8% to 29%.

Question 18: Would you like to receive staff development on each of these health education topics? (Mark yes or no for each topic.)

Topic

- a. Alcohol or other drug use prevention

Based on 243 responses to this part of the question, 68% of LHETs indicated that they would like to receive staff development in the area of alcohol or other drug use prevention.

- b. Asthma awareness

Based on 243 responses to this part of the question, 54% of LHETs indicated that they would like to receive staff development in the area of asthma awareness.

c. Emotional and mental health

Based on 243 responses to this part of the question, 67% of LHETs indicated that they would like to receive staff development in the area of emotional and mental health.

d. Foodborne illness prevention

Based on 242 responses to this part of the question, 48% of LHETs indicated that they would like to receive staff development in the area of foodborne illness prevention.

e. HIV (human immunodeficiency virus) prevention

Based on 243 responses to this part of the question, 66% of LHETs indicated that they would like to receive staff development in the area of HIV prevention.

f. Human sexuality

Based on 243 responses to this part of the question, 64% of LHETs indicated that they would like to receive staff development in the area of human sexuality.

g. Injury prevention and safety

Based on 243 responses to this part of the question, 58% of LHETs indicated that they would like to receive staff development in the area of injury prevention and safety.

h. Nutrition and dietary behavior

Based on 243 responses to this part of the question, 66% of LHETs indicated that they would like to receive staff development in the area of nutrition and dietary behavior.

i. Physical activity and fitness

Based on 243 responses to this part of the question, 63% of LHETs indicated that they would like to receive staff development in the area of physical activity and fitness.

j. Pregnancy prevention

Based on 243 responses to this part of the question, 65% of LHETs indicated that they would like to receive staff development in the area of pregnancy prevention.

k. STD (sexually transmitted disease) prevention

Based on 242 responses to this part of the question, 66% of LHETs indicated that they would like to receive staff development in the area of STD prevention.

l. Suicide prevention

Based on 242 responses to this part of the question, 74% of LHETs indicated that they would like to receive staff development in the area of suicide prevention.

m. Tobacco-use prevention

Based on 243 responses to this part of the question, 62% of LHETs indicated that they would like to receive staff development in the area of tobacco-use prevention.

n. Violence prevention (such as bullying, fighting, and homicide)

Based on 240 responses to this part of the question, 70% of LHETs indicated that they would like to receive staff development in the area of violence prevention.

Note that *the percentage who would like to receive staff development on these health education topics exceeded the percentage who actually received staff development during the past two years—in every area*. Apparently, these are areas in which health education teachers feel they

need more training. The areas with the highest percentages were suicide prevention, violence prevention, and alcohol- and other drug-use prevention.

Question 19: During the past two years, did you receive staff development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics? (Mark yes or no for each teaching topic.)

Topic

- a. Teaching students with physical, medical, or cognitive disabilities

Based on 243 responses to this part of the question, 42% of LHETs indicated that they received staff development on teaching students with physical, medical, or cognitive disabilities, during the past two years.

- b. Teaching students of various cultural backgrounds

Based on 244 responses to this part of the question, 35% of LHETs indicated that they received staff development on teaching students of various cultural backgrounds, during the past two years.

- c. Teaching students with limited English proficiency

Based on 242 responses to this part of the question, 19% of LHETs indicated that they received staff development on teaching students with limited English proficiency, during the past two years.

- d. Using interactive teaching methods such as role plays or cooperative group activities

Based on 243 responses to this part of the question, 54% of LHETs indicated that they received staff development on using interactive teaching methods such as role plays or cooperative group activities, during the past two years.

- e. Encouraging family or community involvement

Based on 243 responses to this part of the question, 37% of LHETs indicated that they received staff development on encouraging family or community involvement, during the past two years.

- f. Teaching skills for behavior change

Based on 243 responses to this part of the question, 45% of LHETs indicated that they received staff development on teaching skills for behavior change, during the past two years.

- g. Classroom management techniques, such as social skills training, environmental modification, conflict resolution and mediation, and behavior management

Based on 244 responses to this part of the question, 54% of LHETs indicated that they received staff development on classroom management techniques, during the past two years.

- h. Assessing or evaluating students in health education

Based on 243 responses to this part of the question, 23% of LHETs indicated that they received staff development on assessing or evaluating students in health education, during the past two years.

Question 20: Would you like to receive staff development on each of these topics? (Mark yes or no for each teaching topic.)

Topic

- a. Teaching students with physical, medical, or cognitive disabilities

Based on 240 responses to this part of the question, 50% of LHETs indicated that they would like to receive staff development on teaching students with physical, medical, or cognitive disabilities.

b. Teaching students of various cultural backgrounds

Based on 240 responses to this part of the question, 45% of LHETs indicated that they would like to receive staff development on teaching students of various cultural backgrounds.

c. Teaching students with limited English proficiency

Based on 239 responses to this part of the question, 37% of LHETs indicated that they would like to receive staff development on teaching students with limited English proficiency.

d. Using interactive teaching methods such as role plays or cooperative group activities

Based on 240 responses to this part of the question, 51% of LHETs indicated that they would like to receive staff development on using interactive teaching methods such as role plays or cooperative group activities.

e. Encouraging family or community involvement

Based on 239 responses to this part of the question, 64% of LHETs indicated that they would like to receive staff development on encouraging family or community involvement.

f. Teaching skills for behavior change

Based on 240 responses to this part of the question, 69% of LHETs indicated that they would like to receive staff development on teaching skills for behavior change.

g. Classroom management techniques, such as social skills training, environmental modification, conflict resolution and mediation, and behavior management

Based on 240 responses to this part of the question, 55% of LHETs indicated that they would like to receive staff development on classroom management techniques.

h. Assessing or evaluating students in health education

Based on 241 responses to this part of the question, 63% of LHETs indicated that they would like to receive staff development on assessing or evaluating students in health education.

Note that *the percentage who would like to receive staff development on these teaching topics exceeded the percentage who actually received staff development during the past two years—in almost every area*. The difference in these percentages was greatest in teaching students with limited English proficiency, encouraging family or community involvement, teaching skills for behavior change, and assessing or evaluating students in health education. Apparently, these remain areas in which health education teachers feel they need more training.

Professional Preparation

Question 21: What was the major emphasis of your professional preparation? (Mark one response.)

Of the 221 LHETs responding, the combination of health and physical education was the most selected major emphasis (38%), followed by home economics or family/consumer science (20%) and physical education (17%).

Question 22: Currently, are you certified, licensed, or endorsed by the state to teach health education in middle school or senior high school?

Of the 242 responding, 74% responded in the affirmative. The percentage was higher for junior/senior high (89%) than for middle school LHETs (66%).

Question 23: Including this school year, how many years have you been teaching health education classes or topics? (Mark one response.)

Of the 241 responding, 12% had taught one year, 26% two to five years, 18% six to nine years, 11% 10 to 14 years, and 33% had taught 15 years or more.

Comments from Lead Health Education Teachers

Space for hand-written comments from lead health education teachers was provided on their questionnaire. Selected comments are presented below.

- “I’ll look forward to receiving a copy of the 2008 School Health Education Profile(s). I used it as I helped work on the Iowa Core Curriculum for health education. I hope health education does not get pushed into other subjects and taught by teachers who are not comfortable with the subject matter.”
- “The unit I need to do a better job with is the sexuality and HIV/AIDS (unit). I only have 5 days for this topic and I need to be able to teach the most important facts effectively.... It would be helpful to have Continuing Education classes throughout the year to keep up to date with current statistics and data (information).”
- “Through this survey, I noticed we need to re-visit these topics more thoroughly and specifically at the high school level and we need more education/in-service opportunities in regard to these topics for staff.”
- “I feel health education is the most fundamental course that should be taught in schools. If students are not taught about the health continuum and how their mental, physical, social, emotional, and sexual health affects their total overall performance in their life, their school, their job, and children, the cycle of unhealthy adults and children will continue.”
- “I would like the State to establish standards and benchmarks for health. Also, I would like to see them put an emphasis on PE/health ... Other classes (subjects) receive more time because of testing (ITEDs).”

Discussion and Recommendations

The survey data indicate that health education is being taught in an integrated curriculum in Iowa schools. Health is integrated or taught in conjunction with other subjects and is also sometimes taught via programs or activities outside of a regular classroom. Most lead health education teachers had (1) health education and physical education, (2) home economics or family/consumer science, or (3) physical education as the major emphasis of their professional preparation. About 62% of lead health education teachers have taught health education for more than five years and about 44% have taught health education for at least 10 years.

Discussion

In the discussion that follows, we consider four critical areas of health education: (1) HIV and other STDs, (2) tobacco use, (3) violence prevention, and (4) asthma.

1. HIV and Other STDs: Policy, Student Behavior, and Preventive Health Education

The percentages of principals affirming that their schools had adopted policies that addressed various issues for students or staff with HIV infection or AIDS varied from 55% to 82%. The lower percentages were for policies addressing issues such as confidential counseling for HIV-infected students (55%) and attendance of students with HIV infection (56%); the higher percentages were for policies addressing worksite safety (82%) and maintaining confidentiality of HIV-infected students and staff (71%).

According to the 2007 Iowa Youth Risk Behavior Survey including 1,440 high school students from across the state, 27% of 9th graders, 37% of 10th graders, 51% of 11th graders, and 59% of 12th graders indicated that they had engaged in sexual intercourse (Veale, 2008a). (See Figure 2.) About one in five indicated that they had four or more sexual partners (in their life) by the 12th grade. These percentages were close to those reported for the nation as a whole (Centers for Disease Control and Prevention, June 9, 2008).

Engaging in sexual intercourse, especially if protection is not used, puts students at risk of being infected with HIV and other STDs. *During their senior year in high school—when reported incidence of sexual inter-*

course was highest—only 16% of students received required health education (compared with 56% in 7th grade and 59% in 8th grade).

Most lead health education teachers in Iowa (88%) tried to increase student knowledge of HIV prevention in required courses. Specifically, 86% in grades 6-8 and 83% in grades 9-12 taught the benefits of abstinence (as a way to avoid HIV infection) and 76% in grades 9-12 taught con-




Figure 2: Percent of Iowa high school students in 2007 indicating that they had engaged in sexual intercourse at some time in their lives, by grade (Veale, 2008a).

dom efficacy, but only 56% in grades 9-12 taught how to obtain condoms—as part of a required course. According to the 2007 Iowa YRBS, 66% of high school students indicated they or their partner had used a condom during their last sexual intercourse, among those who indicated they had sexual intercourse in the three months prior to the survey (Veale, 2008a).

2. Tobacco-Use Policy and Prevention Education

According to the Iowa Department of Education *Iowa Youth Survey*, self-reported cigarette smoking (two or more times per week) increased among Iowa youth from 1981, nearly doubling for students in grades 6, 8, 10, and 12 to 13% overall in 1996 (Governor’s Alliance on Substance Abuse, 1997). At the high school level, 18.9% reported smoking cigarettes at least once in the month prior to the 2007 YRBS (down significantly from 37.5% in 1997), while 8.1% reported using smokeless tobacco during this same period (down significantly from 12.8% in 1997) (Veale, 2008a).

There is evidence from this profile that schools are making an effort to control, reduce, and prevent tobacco use. It was estimated that nearly all (98%) of principals in secondary schools in Iowa have adopted a policy prohibiting tobacco use. In most cases, this applied to all school buildings, school grounds, school buses, and school events. The most common actions taken when students are caught smoking cigarettes are to (1) refer the student to a school administrator and (2) inform the student’s parent(s) or guardian(s) about her/his smoking. Policy specifically prohibiting students from using cigarettes, smokeless tobacco, cigars, and/or pipes was also reported by 90% or more of the principals. Finally, 73% of principals indicated that their school had posted signs marking a tobacco-free school zone—up from 60% in 2006, 52% in 2004, 46% in 2002, and 28% in 2000.

In terms of education, it was estimated that 94% of lead health education teachers in Iowa in 2008 tried to increase student knowledge in the area of tobacco use prevention. In addition, at least 85% of these teachers indicated that the following specific tobacco use prevention topics were taught in required health education courses in their schools: identifying tobacco products and the harmful substances they contain; short- and long-term consequences of cigarette smoking and use of smokeless tobacco; the reasons students do (and do not) smoke; understanding the addictive nature of nicotine; and the effects of second-hand smoke and benefits of a smoke-free environment. Sixty-two (62) percent of health education teachers indicated they would like to receive training in tobacco use prevention; only 21% said they had received such training in the past two years.

3. Violence Prevention

Eighty-five (85) percent of lead health education teachers indicated they tried to increase student knowledge in the area of violence prevention. Fifty-three (53) percent of such teachers indicated they had received professional development in violence prevention the past two years, while 70% indicated they would like to receive professional development in this area.

Violence prevention skills include the development of de-escalation, mediation, and conflict resolution skills through role-playing, as well as a planned process for whole school discipline and safety (Dr. Lee Halverson, former Consultant at Heartland Area Education Agency, personal communication, November 29, 1995). This should begin at the elementary level or earlier with families of newborn to pre-school age children. An example of such a program is the Safe and Drug Free Schools through Supportive Community Partnerships Program at Woodbury Elementary School in Marshalltown (formerly the Drug and Violence Prevention Program, cited by the Iowa Department of Public Health for “best prevention practices” in 1998), presently in its 13th year of operation (Veale, 2008b). Another example is Community Connections in Allamakee County, where schools have utilized Olweus Bullying (prevention), Character Counts, Success 4, and other instructional incentives for positive student behavior/development to reduce the number of disciplinary referrals (Veale, 2009). The latter program began in 1998 as part of Iowa’s School-Based Youth Services Program, continued under a Safe

Schools/Healthy Students grant (2004-08), and currently provides K-12 services to children, youth, and their families under Reduce Alcohol Abuse and 21st Century grants. Both programs utilize cooperation and collaboration among multiple agencies and other components of the support system in the delivery of these services.

4. Asthma

Asthma is a chronic disease that is the result of inflammation affecting the passages that carry air into and out of the lungs. It can develop at any age and can reappear after one has ostensibly “outgrown” the disease. From 1980 to 1996, 12-month asthma prevalence increased both in counts and rates, but no discernable change was identified in asthma attack estimates since 1997 or in current asthma prevalence from 2001 to 2004 (Centers for Disease Control and Prevention, October 19, 2007).

Most principals (67%) indicated that their schools had asthma action plans on file for most or all students. For students with poorly controlled asthma, most principals indicated they ensured access to (1) safe, enjoyable physical education and activity (91%); (2) preventive medications before physical activity (89%); and (3) appropriate use of asthma medications, spacers, and peak flow meters at their schools (84%). Sixty-nine (69) percent of principals indicated that their students were allowed to self-administer asthma medication in school. In terms of education, 37% of lead health education teachers tried to increase knowledge of students about asthma. Only 9% of lead health education teachers indicated they received professional development in asthma awareness during the past two years, while 54% indicated they would like to receive such development.

Recommendations

The following recommendations concern health education and/or policy in Iowa, as well as the School Health Profile surveys or process.

1. *Encourage additional HIV prevention training or reinforcement of earlier training for juniors and seniors in high school.*

Required health education courses should be delivered to more juniors and seniors, who are most at-risk of HIV infection because of their sexual activity. This should include *skills* for prevention of HIV and other STDs (e.g., resisting peer pressure and the correct use of condoms) as well as knowledge of HIV prevention (e.g., sexual abstinence, condom efficacy, and the influence of alcohol, recreational, and intravenous drugs on risk for HIV/AIDS).

2. *Encourage the use of a comprehensive HIV prevention policy in all schools in Iowa.*

In the HIV policy evaluation (Veale, 2005b), the Iowa Department of Education recommended the policy contained in the book *Someone at School has AIDS: A Complete Guide to Education Policies Concerning HIV Infection* (National Association of State Boards of Education, 2001). This sample HIV policy was presented in the HIV policy evaluation report (Veale, 2005b). It should be broadly disseminated and its use encouraged.

3. *Encourage the cooperation and collaboration among the components of the support system for the delivery of health education to students in Iowa schools.*

Components of this system include local entities such as the school administration, parents, adult volunteers (e.g., mentors), community-based agencies, and the business community. Other components might include the Area Education Agency and state and federal government agencies, such as the HIV/AIDS Education Project in Iowa and the CDC. An example of where cooperation and collaboration are needed is the development of school health committees. Sixty-five (65) percent of schools in Iowa in 2008 had used one or more group(s) (e.g. school health council or committee) for developing policies and coordinating activities regarding health issues, according to school principals. Of these schools, over 85% of principals indicated that school administrators, health education teachers, physical education teachers, nutrition and

food service staff, and health services staff (e.g., school nurse) were represented on such health committees, councils, or teams; about 70% indicated that parents and other community members were represented therein. Collaboration is a key to success in both school health policy development and health education delivery.

4. *(a) Use violence prevention skills training (for students and teachers) more extensively to counter increases in violent juvenile crime and delinquency.*

(b) Reinstate questions on policies and programs for violence prevention in the principal questionnaire in 2010.

More emphasis should be given to teaching violence prevention *skills* to increase healthy behaviors among our youth (as discussed in the previous section). Emergency preparedness, response, and recovery is another area that needs more attention. Schools must be prepared for violent incidents (such as school shootings), as well as natural disasters (such as floods and tornadoes) that can severely impact student health and safety.

The section on violence prevention that appeared on the principal questionnaires in the 2000, 2002, 2004, and 2006 SHP was eliminated in 2008. Thus, nothing is known (at least, from this survey) about the current extent of crisis preparedness, response and recovery in schools; use of peer mediation, anti-bullying programs, staff or adult volunteers to monitor the halls, and surveillance cameras to monitor behavior and emergencies; or how many schools maintain a “closed campus” to increase safety and security. At least some of these questions should be reinstated in the 2010 questionnaire for principals.⁵

5. *Encourage more professional development in health education content areas, especially violence prevention, tobacco-use prevention, and HIV and other STD prevention.*

Teachers were asked whether they (a) had received and (b) would like to receive professional development in specific content areas and percentages were computed for each area. As noted in the section on the lead health education teacher survey results, the percentages who would like more professional development in each of the listed health education content areas exceeded those who actually received staff development in the respective areas. The percentage who wanted to receive professional development was highest for suicide prevention, followed by violence prevention, and alcohol- and other drug-use prevention. Written comments from several teachers underscored the value of and need for staff development in the health education content areas.

6. *The surveys should be shortened or combined with others that are conducted periodically by the Departments of Education or Health.*

Administrators and teachers are experiencing greater educational challenges and are being asked to take on additional responsibilities in the education of our youth—often with very limited resources. Either of the above prescriptions should help to secure the continued excellent cooperation of principals and lead health education teachers in providing important information regarding the health education of our youth.

7. *The surveys should be mailed out early in the school year, to provide ample time for principals and health education teachers to complete them.*

This recommendation was based on teacher comments in the 2002 SHP and applied to the 2004, 2006, and 2008 SHPs. We trust that this was helpful to respondents and recommend a

⁵ Note the definition of “required health education” on the second page of the LHET survey: “... instruction about health education topics such as *injuries and violence*, alcohol and other drug use, tobacco use, nutrition, HIV infection, and physical activity that students must receive for graduation or promotion from this school (emphasis added). The issue of violence/injuries was the first item listed, indicating that it is considered an important *health* issue.

similarly early mailing of the surveys in 2009-10. We hope that this will help to insure the continued high level of support for these profiles.

8. *Clarify the terms “required health education” (course) and “required course” in the lead health education teacher questionnaire.*

The author interpreted “required course” to be *any* required course at the school, e.g., 9th grade English or Social Studies, not necessarily a required course devoted exclusively to health education. The language in many questions in the first section of the LHET questionnaire was changed from “required health education course” in previous versions of the questionnaire to “required course” in the 2008 version. Based on the comments from teachers, there may be some confusion about these terms.

Note that one of our previous recommendations (Veale, 2007) was to provide a definition of “required health education” in the questionnaire(s). This recommendation was based on input from principals and lead health education teachers in previous years. This definition was included in the 2008 LHET survey (see p. 2 of the LHET questionnaire given in the Appendix).

Acknowledgments

The author would like to thank Sara Peterson of the Iowa Department of Education (HIV/AIDS Education Project) for input and direction on this project and the following Iowa Department of Education personnel: Haila Huffman for clerical support, Dr. Xiaoping Wang for providing the population frame, and Mark Tarr for producing labels for the survey mailings. I would also like to thank Westat, Inc. for supplying materials, the statistical summaries of the data from the two questionnaires, and, in particular, Westat representatives Jennifer Kali, Barbara Queen, Sonia Donaldson, and Nancy Speicher for administrative and technical support. In addition, thanks go to Jennifer Williams for assistance in administering the survey. Finally, I would like to thank the principals and lead health education teachers who participated in this survey, as well as the superintendents in their school districts for their support.

References

Centers for Disease Control and Prevention (October 19, 2007). National surveillance for asthma—United States, 1980-2004. In: *CDC surveillance summaries*, MMWR 2007; 56 (No. Ss-08): 1-14, 18-54.

Centers for Disease Control and Prevention (June 9, 2008). Youth risk behavior surveillance—United States, 2005. In: *CDC surveillance summaries*, MMWR 2008; 55 (No. SS-5): 1-108.

Centers for Disease Control and Prevention (2008). *2008 School Health Profiles Report: Iowa Department of Education*. Available through the HIV/AIDS Education Project, Iowa Department of Education, Des Moines, IA.

Cochran, W. (1963). *Sampling techniques* (2nd Ed.). New York: John Wiley & Sons, Inc.

Governor's Alliance on Substance Abuse (1997). Pulse check of substance abuse in Iowa. Governor's Alliance on Substance Abuse. Des Moines, IA.

National Association of State Boards of Education (2001). *Someone at school has AIDS: A complete guide to education policies concerning HIV infection*. NASBE Healthy Schools Network: Alexandria, VA.

Veale, J. (1994). *HIV Policy Evaluation for the HIV/AIDS Education Project*. Prepared for the Iowa Department of Education, with assistance from Dale I. Foreman. Des Moines, IA.

Veale, J. (2000). *Iowa HIV training and education needs assessment: 1999-2000 survey for middle and high schools*. Prepared for the Iowa Department of Education, Bureau of Instructional Services. Des Moines, IA.

Veale, J. (2001). *Iowa HIV training and education needs assessment: 2000-01 survey for elementary schools*. Prepared for the Iowa Department of Education, Bureau of Instructional Services. Des Moines, IA.

Veale, J. (2002). *Iowa HIV training and education needs assessment: 2002 summary report for secondary and elementary schools*. Prepared for the Iowa Department of Education, Bureau of Instructional Services. Des Moines, IA.

Veale, J. (2004). *Iowa HIV training and education needs assessment: 2003-04 survey of teacher preparation programs in colleges and universities in Iowa*. Prepared for the Iowa Department of Education, Bureau of Instructional Services. Des Moines, IA.

Veale, J. (2005b). *Iowa HIV policy evaluation: 2004 survey of school districts in Iowa*. Prepared for the Iowa Department of Education, Bureau of Instructional Services. Des Moines, IA.

Veale, J. (2006b). *Significant trends in the Iowa YRBS 1997 to 2005: Iowa high schools*. Prepared for the Iowa Department of Education, Bureau of Instructional Services. Des Moines, IA.

Veale, J. (2007). *2006 Iowa School Health Education Profile*. Prepared for the Iowa Department of Education. Des Moines, IA.

Veale, J. (2008a). *2007 Iowa YRBS (Youth Risk Behavior Survey): Iowa high schools*. Prepared for the Iowa Department of Education. Des Moines, IA.

Veale, J. (2008b). *Woodbury 2007-08 Drug and Violence Prevention Program: Process data and results on outcome measures (Evaluation Summary)*. Prepared for the Substance Abuse Treatment Unit of Central Iowa (SATUCI) and the Iowa Department of Public Health. Des Moines, IA.

Veale, J. (2009). *2004-08 Community Connections Safe Schools/Healthy Students (CCSS;/HS): Individuals Served, Services Provided, Student Outcomes, and Family/Parent Involvement (Administrative Summary)*. Prepared for the Community Connections, Allamakee Community School District. Des Moines, IA.

APPENDIX

**The School Principal and Lead Health Education Teacher
Questionnaires for the 2008 Iowa School Health Profiles**