



## Iowa Child and Adult Care Food Program

### Reimbursable Foods for Infants

May 2015

This guidance is to provide additional information about what foods may or may not be counted as reimbursable when feeding infants and claiming infant meals for CACFP reimbursement.

**Reimbursable foods** are foods that count toward fulfilling the requirements for a reimbursable infant meal. Child care providers are required to provide the minimum serving size as identified on the CACFP Infant Meal Pattern. Infants are not required to consume the serving size offered to them.

**Non-reimbursable** or “other” foods are those foods that are not reimbursable because they do not fulfill the infant food requirements listed on the CACFP Infant Meal Pattern. When these foods are used to fulfill the food requirement, the meal served to the infant must not be claimed for CACFP reimbursement.

It is the child care provider’s responsibility to carefully read food labels before purchasing foods to be served to infants in order to determine if the food will be reimbursable according to the CACFP infant meal pattern guidelines.

Conversations with the parents/guardians are important to determine what foods have been introduced to the infant (see “Foods tried at home”) and the infant’s food needs. Any additional foods to be served to infants must be carefully examined for their appropriateness of consistency for the infant’s developmental abilities as well as for nutrient content to provide the necessary nutrients and calories for infant growth.

### Breast Milk

**Reimbursable Meals with Breast Milk Descriptions:**

Meals including only breast milk (expressed milk) may be reimbursed if fed by the child care provider.

If the mother comes to the center to nurse the infant, the meal is reimbursable only when the care provider serves another reimbursable food according to the CACFP Infant Meal Pattern guidelines.

Breast milk is allowed to be served in place of fluid cow’s milk to children 12 months and older (specifically 1 to 2 years of age). (FNS Instruction 783-7, October 4, 1994)

Eligible home providers who are breastfeeding their infants may claim the meal if other non-residential infants/children are served the same meal.

If the mother comes to the center to nurse the infant, the meal would not be reimbursable if this is the only food served for the meal (infants 0-3 months, infants 4-7 months, PM snack for infants 8-11 months). For infants 4-7 months when infants are developmentally ready for the optional food(s), and for infants 8-11 month olds, the provider can claim the meal only if the provider provides the solids listed in the meal pattern.

### Iron-Fortified Formulas

**Reimbursable Meals with Iron-Fortified Formula Descriptions:**

USDA will no longer update and maintain the list of *Iron-Fortified Infant Formulas That Do Not Require a Medical Statement* because new and re-formulated infant formula products are continually being developed making the list not inclusive of all formulas that are reimbursable.

Infant Formula means: “any iron-fortified infant formula, intended for dietary use as a sole source of foods for normal, healthy infants served in liquid state at manufacturer’s recommended dilution.”

Use the following criteria to determine whether or not a formula is reimbursable in CACFP without needing a medical statement:

1. Ensure the formula is not an FDA (Food and Drug Administration) Exempt Infant Formula. To check whether or not an infant formula is an FDA Exempt Infant Formula, go to the FDA website identified in the bold box on the next page.
2. Look for the statement “Infant Formula with Iron” or a similar statement on the front of the formula package. All iron-fortified infant formulas must have this type of statement on the package.
3. Use the nutrition facts label as a guide to ensure that the formula is iron-fortified. To be considered iron-fortified an infant formula must have 1 milligram (mg) or more of iron or more per 100 calories of formula when prepared in accordance with label directions for infant consumption.
4. Make sure the formula is manufactured in the U. S. If a formula is purchased outside of the U.S., it is likely that the formula is not regulated by the FDA and therefore may not be creditable for CACFP meal requirements.

Although a **medical statement is not required for iron-fortified infant formulas**, child care providers should only provide an infant with the formula recommended to the infant's parent/guardian by the infant's health care provider.

Meals including only a reimbursable formula provided by the parent/guardian are reimbursable **if** the formula is the only required food **and** is fed by the care provider.

**Non-reimbursable milk based foods include but are not limited to:**

- |  |   |
|--|---|
| Buttermilk   | Ice Cream   |
| Cow's Milk: 1%, 2%, Skim, Whole, Raw   | Imitation Milk including those made from rice or nuts (such as almonds or nondairy creamer) |
| Custard  | Reconstituted Dry Milk  |
| Cream soups  | Pudding   |
| Evaporated Cow's Milk or home prepared Evaporated Cow's Milk Formula         | Soy Milk, usually called soy beverage   |
| Formula, Low Iron (reimbursable <b>only if</b> there is a medical exception) | Sweetened Condensed Milk  |
| Goat's Milk  | Yogurt  |

**Exempt Infant Formulas**

"An exempt infant formula is an infant formula intended for commercial or charitable distribution that is represented and labeled for use by infants who have inborn errors of metabolism or low birth weight, or who otherwise have unusual medical or dietary problems (21 CFR 107.3). Prior to any company or person manufacturing and marketing a new exempt infant formula or any infant formula, certain practices, procedures and processes must be followed (Section 412 of the Federal Food, Drug, and Cosmetic Act). For exempt infant formulas, there are specific terms and conditions that must also be met (21 CFR 107.50)."

Formulas classified as Exempt Infant Formulas by FDA **require** a medical statement in order to be served to infants under the CACFP as part of a reimbursable meal. A medical statement must be signed by a licensed physician if an infant is considered disabled according to USDA's regulation, or a recognized medical authority specified by the State Agency if an infant has medical or other special dietary needs.

This is a partial listing of products classified as exempt infant formulas that FDA believes are currently available (to date – 3/2013) on the U.S. retail market. The list does not represent FDA or Iowa CACFP endorsement of these companies or their products. Refer to the following website for the complete list of Exempt Infant Formulas:

**FDA website:**

<http://www.fda.gov/food/guidanceregulation/guidancedocumentsregulatoryinformation/infantformula/ucm106456.htm>

**Non-reimbursable (unless medical exemption on file) exempt infant formulas include but are not limited to:**

- |  |  |
|--|--|
| Abbott Nutrition -Formulas for Premature Infants <ul style="list-style-type: none"> <li>• Similac Special Care 20 Cal or 24 Cal w/Low Iron</li> <li>• Similac Special Care 24 Cal High Protein</li> <li>• Similac Special Care 30 Cal w/Iron</li> <li>• Similac Expert Care NeoSure</li> </ul>                 | Mead Johnson Nutritionals: Formulas for Premature Infants <ul style="list-style-type: none"> <li>• Enfamil Premature Low Iron 20 Calorie or 24 Calorie</li> <li>• Enfamil Premature w/Iron 20 Calorie or 24 Calorie</li> <li>• Enfamil EnfaCare</li> </ul> |
| Abbott Nutrition - Protein Hydrolysate Formulas <ul style="list-style-type: none"> <li>• Similac Expert Care Alimentum</li> </ul>  | Mead Johnson Nutritionals: Protein Hydrolysate Formulas <ul style="list-style-type: none"> <li>• Nutramigen</li> <li>• Pregestimil 20 Calorie or 24 Calorie</li> <li>• Nutramigen Enflora with LGG</li> </ul>  |
| Abbott Nutrition - Amino Acid-Based Formula <ul style="list-style-type: none"> <li>• EleCare with DHA and ARA</li> </ul>   | Mead Johnson Nutritionals: Amino Acid-Based Formula <ul style="list-style-type: none"> <li>• Pur Amino</li> </ul>  |
| Abbott Nutrition - Miscellaneous <ul style="list-style-type: none"> <li>• Calcilo XD</li> <li>• Similac Expert Care For Diarrhea</li> <li>• Pro-Phree</li> <li>• ProViMin</li> <li>• RCF No Added Carbohydrate Soy Formula Base</li> <li>• Similac Human Milk Fortifier</li> <li>• Similac PM 60/40</li> </ul> | Mead Johnson Nutritionals: Miscellaneous <ul style="list-style-type: none"> <li>• Product 3232A</li> <li>• Enfamil Human Milk Fortifier Powder</li> </ul>  |
|  | Nestle Infant Nutrition: Formula for Premature Infants <ul style="list-style-type: none"> <li>• Gerber Good Start Nourish</li> <li>• Gerber Good Start Premature 20, 24 and 30</li> <li>• Gerber Good Start Premature 24 High Protein</li> </ul>           |

## Fruits and Vegetables

Reimbursable Foods Descriptions:	Non-reimbursable foods include but are not limited to:
<p>Fruits and vegetables can be a commercial product or home-prepared baby food.</p> <p>The fruit or vegetable must be the first ingredient in the ingredient listing for a commercial product unless the product is a cereal, dessert, or pudding.</p> <p>If the product has multiple fruits or vegetables, the fruit or vegetable must be listed as the first ingredient in the ingredient listing. Check with the parent/guardian to see if the infant has been introduced to all of the foods listed on the product label.</p> <p>Fruits and vegetables must be of appropriate consistency and texture for the individual infant.</p> <p>Home prepared collard greens, carrots, spinach, turnips, and beets should only be served to infants 6 months and older.</p> <p>Single ingredient fruits containing DHA</p> <p>Single ingredient vegetables containing DHA</p>	<p>Ades, i.e.: lemonade</p> <p>Baby Fruit cobbblers</p> <p>Canned vegetable soups</p> <p>Citrus fruits (oranges, tangerines, grapefruits) for infants under 6 months</p> <p>Cream soups</p> <p>Creamed vegetables</p> <p>Desserts in a jar (even if fruit is the first ingredient on the label)</p> <p>Dinners in a jar that list fruit or vegetable as the first ingredient</p> <p>Dry iron-fortified infant cereals with fruit as the first ingredient</p> <p>Dry iron-fortified infant cereals with fruit</p> <p>Fruit drinks</p> <p>Fruit in a jar with water as the first ingredient</p> <p>Fruit flavored powders and syrup</p> <p>Fruit juice with yogurt</p> <p>Fruit or vegetable wheels or puffs</p> <p>Home canned fruits or vegetables</p> <p>Jarred Iron-fortified infant cereals that list fruit as the first ingredient ("Wet" cereal)</p> <p>Juice (infants 0-7 months)</p> <p>Juice cocktails</p> <p>Juice drinks</p> <p>Kool-aid</p> <p>Mixed fruit yogurt dessert</p> <p>Pineapple for infants under 6 months</p> <p>Pudding with fruit on the label</p> <p>Soda pop</p> <p>Sticky, sweet foods such as raisins and other dried fruits</p> <p>Tomatoes for infants under 6 months</p> <p>Vegetable juice</p> <p>Vegetable juice blends</p> <p>Vegetable in a jar with water as the first ingredient</p> <p>Vegetable soup</p>

## Juices

### Snacks for 8 months through 11 months only (until 1<sup>st</sup> birthday)

Reimbursable Foods Descriptions:	Non-reimbursable foods include but are not limited to:
<p>Only full-strength, 100% juices (regular or infant) are allowed for infants 8 months and older at snack time (not at lunch or supper).</p> <p>Juices should be naturally high in or fortified with vitamin C.</p> <p>Juices must be pasteurized.</p> <p>Juices must be served from a cup and not a bottle.</p>	<p>Ades, i.e.: lemonade</p> <p>Citrus juice for infants under 6 months</p> <p>Fruit drinks</p> <p>Fruit juice with yogurt</p> <p>Fruit flavored powders and syrup</p> <p>Home canned fruit or vegetable juices</p> <p>Juice cocktails</p> <p>Juice drinks</p> <p>Kool-Aid</p> <p>Soda pop</p> <p>Vegetable juice</p> <p>Vegetable juice blends</p>

## Iron-Fortified Infant Cereals

Reimbursable Foods Descriptions:	Non-reimbursable foods include but are not limited to:
<p>Infant cereal includes only iron-fortified dry cereal (IFC) designated on the product label as “Cereal for Baby”. Look for “Excellent Source of Iron for Infants” or “Excellent Source of Iron and Zinc for Infants” on the infant cereal label.</p> <p>The suggested order of introduction of grains to infants is: rice, oat, and then barley. Wait until the infant is 8 months old before introducing wheat.</p> <p>Infant iron-fortified dry mixed cereal is reimbursable if the infant has been previously introduced to the individual grains that make up the mixed cereal.</p> <p>If 8-11 month old infants reject the iron-fortified cereal at breakfast and lunch/supper, first try serving the cereal when the baby is hungry or try mixing the cereal with fruit. At lunch or supertime, serve the meat/meat alternate.</p> <p>If the baby still rejects the iron-fortified infant cereal, two recipes using the iron-fortified cereal as one of the ingredients may be used (IFC Muffins and IFC Pancakes). There must be written documentation from the parent/guardian indicating that the baby has been served all of the recipe ingredients to check for allergies. The serving size on the recipe must be served in order for the baby to receive the required amount of iron-fortified cereal.</p> <p>The infant must be developmentally ready for muffins or pancakes and these must be cut into small pieces. Clear notes must be written on the infant’s menu to show these foods have been served if the parent/guardian allows them. See the attached <i>Iron-Fortified Infant Cereal Recipes</i>.</p>	<p>Iron-fortified infant cereals with fruit (dry)</p> <p>Iron-fortified infant cereals in a jar, with or without fruit (wet)</p>

## Breads and Crackers

Reimbursable Foods Descriptions:	Non-reimbursable foods include but are not limited to:
<p><b>Bread and cracker type products must be made from whole-grain or enriched meal or flour.</b></p> <ul style="list-style-type: none"> <li>• Read each product ingredient list carefully to determine if there are potential ingredients that may cause allergies or provide additional calories with little nutritional value (starch, sugar, fat).</li> <li>• Bread and cracker products must be suitable for use by the infant as finger food.</li> <li>• Select bread and cracker products that are of appropriate texture for the infant’s eating abilities.</li> </ul> <p><b>Bread Products (white, wheat, whole wheat – all without nuts, seeds, or hard pieces of whole grain kernels)</b></p> <ul style="list-style-type: none"> <li>• Breads (French, Italian, and similar breads)</li> <li>• Biscuits</li> <li>• Bagels</li> <li>• English muffins</li> <li>• Pita bread</li> <li>• Rolls</li> <li>• Soft tortillas</li> </ul> <p><b>Cracker Products (white, wheat, whole wheat – all without nuts, seeds, or hard pieces of whole grain kernels)</b></p> <ul style="list-style-type: none"> <li>• Crackers (saltines, low salt crackers or snack crackers)</li> <li>• Graham crackers made without honey</li> <li>• Teething biscuits</li> </ul>	<p>Baby cobbles</p> <p>Bread made with honey</p> <p>Bread made with seeds, nut pieces or whole grain kernels</p> <p>Brownies</p> <p>Cakes, commercial or home made</p> <p>Cooked rice, barley, and wheat (whole kernels should be mashed or ground before feeding, if served as an extra)</p> <p>Cookies, commercial or home made</p> <p>Corn grits</p> <p>Crackers made with honey</p> <p>Crackers made with seeds, nut pieces or whole grain kernels</p> <p>Croutons</p> <p>Doughnuts</p> <p>Farina, (even if enriched)</p> <p>Fruit or vegetable wheels or puffs</p> <p>Grain bars</p> <p>Granola bars</p> <p>Honey graham crackers</p> <p>Iron-fortified infant cereals with fruit (dry) or formula</p> <p>Iron-fortified infant cereals with fruit in a jar (wet)</p> <p>Oatmeal, regular, minute, old-fashioned</p> <p>Pasta – cooked and uncooked noodles, macaroni, spaghetti, etc.</p> <p>Popcorn</p> <p>Pretzels</p> <p>Ready to eat cold cereals for older children or adults</p> <p>Rolls made with seeds, nut pieces or whole grain kernels</p> <p>Sweet pastries, commercial and home made</p> <p>Tapioca</p>

**Meat/Meat Alternates**  
**Lunch/Supper for 8 months through 11 months only (until 1<sup>st</sup> birthday)**

<b>Reimbursable Foods Descriptions:</b>	<b>Non-reimbursable foods include but are not limited to:</b>
<p>Cheese            Cheese Food or Cheese Spread            Cooked dry beans or split peas            Commercial plain strained or pureed baby food meats with meat or poultry as the first ingredient            Cottage Cheese            Eggs            Gerber 2<sup>nd</sup> Foods™ Meats                Beef and Beef Gravy                Chicken and Chicken Gravy                Ham and Ham Gravy                Lamb and Lamb Gravy                Turkey and Turkey Gravy                Veal and Veal Gravy            Meat/meat alternates must be of appropriate consistency and texture for the individual infant to avoid choking hazards.            Meat, fish, shellfish and poultry            Nut and seed butters (unless choking risk)</p>	<p>Baby food combination dinners in a jar            Baby food meat sticks or "Finger Sticks": (looks like miniature hot dogs)            Bacon            Bologna            Chicken nuggets            Commercially-prepared combination dinners            Cured meats            Dehydrated dinners            Fat trimmed from meat            Fish, canned with bones            Fish: shark, swordfish, king mackerel, tilefish            Fish Sticks: commercial or other commercial breaded or battered fish or seafood products            Fried Meats            Green beans, frozen, fresh or canned (creditable as a vegetable only)            Home canned meats            Hot Dogs (Frankfurters)            Luncheon meats            Nuts            Peas, frozen, fresh or canned (creditable as a vegetable only)            Raw or undercooked eggs            Salami            Sausage            Seeds            Skin trimmed from meat            Tofu            Undercooked eggs            Yogurt</p>

**Other Foods**  
**These foods are not appropriate for infants.**

<b>Additional non-reimbursable foods include but are not limited to:</b>	
<p>Artificial sweeteners            Caffeinated drinks            Candy, any kind (lollipops, candy bars, sweet candies)            Chips, any kind            Chocolate, Cocoa            Coffee            Desserts in jars            Desserts, commercial and home-made            Drinks with artificial sweeteners</p>	<p>Energy drinks            Honey            Pepper added to foods            Salt added to foods            Soft drinks            Sports drinks            Sugar, syrups and sweeteners added to foods            Tea, sweetened and unsweetened</p>



**Iowa Child and Adult Care Food Program**  
**Iron-Fortified Infant Cereal Recipes**  
(Attachment to CACFP Reimbursable Foods for Infants List)

Iron fortified infant cereal (IFC) is a required part of the infant meal pattern at breakfast, and IFC or a meat/meat alternate must be served at lunch/supper for infants 8 through 11 months of age (until 1<sup>st</sup> birthday). Both meats and IFC are good sources of iron, which is especially important for infants at this age. However, older infants may reach a point in their development where they can chew and swallow foods with more texture, and may object to the consistency of IFC. These recipes are provided as a way to offer IFC in a form that may be preferred and accepted by older infants. Before serving, be sure that parents have indicated that the baby has first been introduced to all the ingredients, and that the infant may be served these foods. When served, label as IFC Muffins or IFC Pancakes on the infant menu. (These recipes do not credit toward the bread/cracker optional component at snack for infants 8-11 months old (until 1<sup>st</sup> birthday)).

### **IFC Muffins**

2 egg yolks  
1 cup iron fortified infant formula (IFF)  
¼ cup vegetable oil  
1½ cups rice iron-fortified infant cereal (IFC)  
½ cups enriched wheat flour  
½ cup sugar  
1 Tbsp. baking powder

Heat oven to 400° F. Grease bottoms of 12 muffin cups (or use paper lines). Beat egg; stir in milk and oil. Mix in remaining ingredients until moistened. Batter should be lumpy. Fill muffin cups 2/3 full. Bake 20 minutes.

Yield: 12 muffins

Credit: One muffin credits as one serving of IFC (2 Tbsp.). The formula does not contribute to the IFF requirement.

### **IFC Pancakes**

2 egg yolks  
1 cup iron fortified infant formula (IFF)  
2 Tbsp. vegetable oil  
¾ cup rice iron-fortified infant cereal (IFC)  
¾ cup enriched wheat flour  
1 Tbsp. sugar  
1 tsp. baking powder  
½ tsp. baking soda

Beat egg yolks; add remaining ingredients in order listed. Beat with a spoon until only small lumps remain. Grease heated griddle and divide batter into 6, 4-inch pancakes. Turn pancakes as soon as they are puffed and full of bubbles. Bake other side of pancake until golden brown. May be served with applesauce instead of syrup.

Yield: 6, 4-inch pancakes

Credit: One pancake credits as one serving IFC (2 Tbsp.). The formula does not contribute to the IFF requirement.

Adapted from original recipes from Child Care Resource and Referral, St. Paul, MN.